



**Specialised
Fabric
Solutions**

**PRODUCT
CATALOGUE
2024**

—

TEXTILES

QCD LIMITED

Specialised Fabric Solutions

Nature is demanding, so we demand a lot from our textiles.

Whether providing much-needed shade for a sun-baked terrace or sailing a yacht around the world, you need to know your fabric systems are up to the challenge. QCD has been supplying customers in the commercial, residential and marine markets for over 60 years. With a huge range of specialised textiles and hardware sourced from around the world, our team can help you specify and deliver a solution that works.

The wind, UV rays and ocean spray can do their worst. Relax, because you're covered.

TO PLACE AN ORDER OR FOR
PRODUCT ENQUIRIES

CONTACT US

North Island

Office & Warehouse

373D Neilson Street, Penrose,

Auckland, 1061

New Zealand

09 815 7500

sales@qcd.co.nz

South Island

Office & Warehouse

24 Disraeli Street, Addington

Christchurch, 8024

New Zealand

03 384 9329

chhsales@qcd.co.nz

qcd.co.nz



TEXTILES

CONTENTS

SHADE	4
MARINE	22
MESH	26
POLYFABRICS	28
AUTOMOTIVE	38
WOOL	41
FOAM	42
NYLON	43

SHADEVIEW MESH





SHADEVIEW URBAN


2X2 CONSTRUCTION

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SV300	300	25	570


Shadeview Urban is a multifunctional fabric for external shading ideally suited to straight drop alfresco blinds and awnings, with a 3 metre width allowing for a join free blind. It is a great alternative for those considering PVC alfresco blinds as it offers effective protection from the elements all year around. Shadeview Urban is also highly suited to those harsh west facing windows that need the extra protection that only a 5% openness fabric can deliver.

PRODUCT FEATURES


- 5% Openness
- 2 x 2 construction
- Reduces up to 95% of the sun's harmful rays
- Optimal ventilation and air flow
- High quality, UV resistant construction
- Reduces cooling costs
- Mildew resistant
- Provides shade and privacy
- Fire retardant additives
- Weldable
- Controls reflected glare
- 10 year warranty for screens
- 5 year warranty for shade sail (horizontal application)



ICEBERG
SV300ICEBERG



PUTTY
SV300PUTTY




QUARTZ
SV300QUARTZ




PEWTER
SV300PEWTER



MUSHROOM
SV300MUSHROOM



ALMOND
SV300ALMOND




SUEDE
SV300SUEDE




HAVANA
SV300HAVANA



BRACKEN
SV300BRACKEN



MARBLE
SV300MARBLE



STONE
SV300STONE




FLINT
SV300FLINT




STATIC
SV300STATIC




GRAPHITE
SV300GRAPHITE



CARBON
SV300CARBON



GALAXY
SV300GALAXY



2X2 CONSTRUCTION - FLINT



SHADEVIEW EXTREME

BROKEN TWILL CONSTRUCTION

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SVX320	320	20	560

As the name suggests this outdoor fabric has gone to the extreme. This unique fabric has been developed to provide you with clarity and protection from the elements. Black mesh is easier to see through, however black doesn't complement all exterior colour ranges. Shadeview Extreme is a fabric that has been designed with this in mind with one side black for clarity and view and the other side in a range of fashion colours to suit your home. Shadeview Extreme can combat the environments harsh elements through its unique broken twill weave, giving it greater attributes than any other mesh on the market, while still providing quality and style.

PRODUCT FEATURES

- 3% Openness
- Broken twill construction
- Reduces up to 97% of the sun's harmful rays
- Minimal ventilation and air flow
- High quality, UV resistant construction
- Dual colour
- Mildew resistant
- Fire retardant additives
- Weldable
- Controls reflected glare
- 10 year warranty for screens
- 5 year warranty for shade sail (horizontal application)




PEBBLE STONE
SVX320PEBBLESTONE



ALPACA
SVX320ALPACA



EARTH
SVX320EARTH




EMERALD
SVX320EMERALD



SAPPHIRE
SVX320SAPPHIRE



ASH
SVX320ASH



BLACK
SVX320BLACK



BROKEN TWILL CONSTRUCTION

FRONT | BACK

SHADEVIEW CLASSIC

1X1 CONSTRUCTION

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SV305	305	25	550

Shadeview Classic has a unique woven design that will shade your home, office or entertaining area whilst retaining a high level of visibility. Shadeview Classic can be railroaded for the ultimate blind or awning with no vertical joins. Enjoy letting the light and cool air into your home whilst filtering out up to 90% of the sun's damaging ultra violet rays. Shadeview Classic is ideally suited for external awnings, alfresco blinds and shade sails.

PRODUCT FEATURES


- 10% Openness
- 1x1 Construction
- Reduces up to 90% of the sun's harmful rays
- Optimal ventilation and air flow
- High quality, UV resistant construction
- Mildew resistant
- Fire retardant additives
- Weldable
- Controls reflected glare
- Railroad
- 10 year warranty for screens
- 5 year warranty for shade sail (horizontal application)

SHADEVIEW ONE


2X2 CONSTRUCTION

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SVU300	300	25	615


The 1% openness of Shadeview One ensures optimal shielding from the elements while preserving scenic vistas, making it perfect for alfresco blinds, awnings, or shading your entertainment area. Filter out up to 99% of harmful UV rays, creating a serene ambiance while enjoying superior sun protection. Built to last, Shadeview One's durable construction guarantees longevity and performance.



COAL DUST




SNOWCAP
SV305SNOWCAP




WHEAT
SV305WHEAT




DUSK
SV305DUSK




DESERT
SV305DESERT



BEIGE
SV305BEIGE




CHOCOLATE
SV305CHOC



SLATE
SV305SLATE



BLACK
SV305BLACK




1X1 CONSTRUCTION



LIMESTONE
SVONE300LIMESTONE



BOULDER
SVONE300BOULDER



GUNMETAL
SVONE300GUNMETAL



COAL DUST
SVONE300COALDUST



MIDNIGHT
SVONE300MIDNIGHT

PRODUCT FEATURES

- 1% Openness
- 70% PVC, 30% Polyester
- Reduces up to 99% of the sun's harmful rays
- Optimal ventilation and air flow
- High quality, UV resistant construction
- Reduces cooling costs
- Mildew resistant
- Provides shade and privacy
- Fire retardant additives
- Weldable
- Controls reflected glare
- 10 year warranty for screens
- 5 year warranty for shade sail (horizontal application)

SOLTIS BY SERGE FERRARI



SOLTIS HORIZON 86


SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF86	267	40	380
SF86	177	40	380 INDENT


Soltis Horizon 86 provides excellent outward visual contact and promotes natural light intake. This is beneficial and assists energy savings by reducing artificial lighting. It can be used for external & skylight blinds, Conservatories as well as Shadesails, and has excellent characteristics in tension screens.

PRODUCT FEATURES


- 10 year warranty for screens
- 5 year warranty for shade sail (horizontal application)
- 14% openness factor
- Mildew resistant
- Fire retardant
- Up to 30% solar transmission
- Weldable
- Good balance for the lowest exposed facades of the building
- Lightweight, durable and 100% recyclable
- High dimensional stability due to Précontraint® technology




CHAMPAGNE




WHITE
SF86-2044




CHAMPAGNE
SF86-2175




SANDY BEIGE
SF86-2135




BOULDER
SF86-2171




ALU/WHITE
SF86-2051



ALU/OAT
SF86-2046



ALU/ALU
SF86-2048




BEATEN METAL
SF86-2045




CONCRETE
SF86-2167




PEPPER
SF86-2012




ANTHRACITE
SF86-2047



BLACK
SF86-2053



BRONZE
SF86-2043




INDENT OR AIRFREIGHT



BUTTERCUP
SF86-2166 177CM




ORANGE
SF86-8204 177CM




CARAMEL
SF86-50261 177CM




RED
SF86-8255 177CM



MUSCAT
SF86-50260 177CM



BAMBOO
SF86-50333 177CM



MOSS GREEN
SF86-2158 177CM




MIDNIGHT BLUE
SF86-2161 177CM

Précontraint Technology

Through Précontraint, Serge Ferrari produces flexible composite materials, using a high-tenacity polyester base cloth. By keeping both warp and weft under tension throughout the entire production cycle the result is an outstandingly smooth surface.

This tense grid allows for the application of a thick, smooth solar protective coating and a dirt-resistant surface treatment resulting in a dimensionally stable, light, thin yet super strong material that is easy to clean, retains its shape and provides superior heat protection.





SOLTIS LOUNGE 96


SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF96	267	40	400

Soltis Lounge 96 is optimised screen for terraces and creates a comfortable ambience for outdoor living spaces when applied as a retractable arm awning. Other uses include external blinds, Pergolas, Shadesails and Projection blinds.

PRODUCT FEATURES

- 10 year warranty for screens
- 5 year warranty for shade sails (horizontal application)
- Up to 21% solar transmission
- All colours available in wide width
- 4% Openness factor
- Lightweight, durable and 100% recyclable
- Easy to clean
- Mildew resistant
- Fire retardant
- Weldable



TAUPE

WHITE
SF96-8102

SHEA
SF96-50843

OFF WHITE
SF96-1103

VANILLA
SF96-8861

SANDY BEIGE
SF96-2135

CLOUD
SF96-50272

BOULDER
SF96-2171

TAUPE
SF96-50850

BRONZE
SF96-2043

PLATINUM
SF96-50844

ANTHRACITE
SF96-2047

BLACK
SF96-8450

CITRUS
SF96-50846

LIME
SF96-50848

JUNGLE
SF96-50849

AUREOLIN
SF96-50845

CARAMEL
SF96-50261

RED
SF96-8255

ACAPULCO
SF96-50847

ATLANTIS
SF96-50851

MIDNIGHT BLUE
SF96-2161



SOLTIS PROOF W96

SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SFW96	267	35	620

A smart material that protects from heat and rain while preserving natural light, ideal for pergolas, Shadesails, projection blinds and fixed awnings.

PRODUCT FEATURES

- 10 year warranty for screens
- 5 year warranty for shade sails (horizontal application)
- Up to 17% solar transmission
- Transparent textured aspect
- Combines impermeability and luminosity
- Heat and weather protection
- Easy maintenance
- High colourfastness to UV radiations
- Lightweight, durable and 100% recyclable
- High dimensional stability due to Precontraint® technology
- Mildew resistant
- Fire retardant
- Weldable




WHITE
SFW96-8102




OFF WHITE
SFW96-1103




VANILLA
SFW96-8861



CLOUD
SFW96-2171



ANTHRACITE
SFW96-2074



CLOUD
SFW96-2171



SOLTIS PROOF 502


SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF502V2	180	40	570

A highly resistant membrane designed to last over the years. It protects against bad weather and UV. This waterproof fabric, available in 40 colours, affords creative freedom. Applications include shade sails, fixed awnings, pergolas, projection blinds.

PRODUCT FEATURES

- Fire Rated A51530.2
- High dimensional stability due to Preconstraint® technology
- Satin finish
- PVDF weldable
- Reinforced dirt resistance and easy cleanability
- Heat and weather protection
- 10 year warranty



MARINE
SF502V2-1125C

					
WHITE SF502V2-8102C	BOULDER SF502V2-2171C	CONCRETE SF502V2-2167C	BLACK SF502V2-8450C	CHAMPAGNE SF502V2-8341C	VANILLA SF502V2-8861C
					
HEMP SF502V2-50265C	SANDY BEIGE SF502V2-2135C	PEPPER SF502V2-2012C	CAMEL SF502V2-2141C	COCOA SF502V2-2148C	TEAK SF502V2-50669C
					
WALNUT STAIN SF502V2-2137C	LEMON SF502V2-50574C	BUTTERCUP SF502V2-2166C	DIJON SF502V2-50571C	ORANGE SF502V2-8204C	CARROT SF502V2-2172C
					
RASPBERRY SF502V2-2150C	POPPY SF502V2-8255C	TERRACOTTA SF502V2-20185C	BURGUNDY SF502V2-8284C	ANISEED SF502V2-2157C	OLIVE SF502V2-50668C
					
MOSS GREEN SF502V2-2158C	PORCELAIN SF502V2-50670C	TENNIS GREEN SF502V2-8056C	SPRUCE SF502V2-2156C	CELADON SF502V2-50675C	STEEL BLUE SF502V2-506676C
					
LAGOON SF502V2-2160C	DARK BLUE SF502V2-50673C	THISTLE BLUE SF502V2-50270C	CELESTIAL BLUE SF502V2-50672C	VICTORIA BLUE SF502V2-50677C	MIDNIGHT BLUE SF502V2-2161C
					
MARINE SF502V2-1125C					

METALLIC COLOURS

		
VELVET RED SF502V2-2152C	AUTUMN SF502V2-2138C	ALUMINIUM SF502V2-2168C

COMMERCIAL SHADE BY GALE PACIFIC





COMMERCIAL DUALSHADE 350

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALEDSH350	300	40	350
GALEDSH350FR	300	40	350 INDENT

DualShade 350 is made using a patent pending knit pattern and features a single colour on one side and complementary colour on the opposite side.

Maximum durability and superior dimensional stability are achieved through a proprietary knit pattern, and DualShade 350 is backed by a full 10-year warranty against UV degradation.

PRODUCT FEATURES

- Patent pending dual colour knit pattern creates a high performing fabric with a unique aesthetic
- Dimensionally stable fabric reduces retensioning frequency and associated maintenance costs, resulting in longer fabric life and improved performance
- Ideal for sun protection offering up to 93.6% UV Block
- Maximum durability achieved through use of high quality, UV-stabilised, monofilament and tape yarns joined by a lock-stitch knit pattern
- Superior long-term performance achieved through an even distribution of force across the tensioned fabric
- Available in FR on Indent
- 10 year warranty




SAVANNA
GALEDSH350-SVNA




GOLD RUSH
GALEDSH350-GLDR




COBBLESTONE
GALEDSH350-CBLS



CAPRI
GALEDSH350-CPRI




SANTORINI
GALEDSH350-STNI




MACAW
GALEDSH350-MACW



SUNBURST
GALEDSH350-SUNB




CITRUS
GALEDSH350-CTRS



TOPAZ
GALEDSH350-TPAZ



CHAMELEON
GALEDSH350-CMLN



AMAZONIA
GALEDSH350-AMZN



MALDIVES
GALEDSH350-MLDV



DUAL COLOUR KNIT PATTERN — CAPRI



COMMERCIAL HEAVY 430

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALECOMHV	300	40	430
GALECOMHVFR	300	40	430 INDENT

Commercial Heavy 430 architectural shade fabric was engineered specifically to withstand extreme weather conditions on large scale tension structures. It features superior biaxial strength and load bearing performance for optimum shape and tensioning endurance. Made from 100% round monofilament and designed using a patented intertwining knit pattern.

PRODUCT FEATURES


- 100% Lead and Phthalate free for a healthier environment
- Full 15 year warranty against UV degradation on fabric
- UV block range from 85.9% to 87.9%
- Engineered in Australia to meet harsh weather extremes 100% round monofilament yarn for optimal structural stability
- 100% recyclable
- Available in FR on Indent
- Patented intertwining knit pattern resulting in superior biaxial performance
- Uniform balance across the warp and weft for easy fabrication and minimal maintenance
- Stentered (heat set) for prevention of shrinking and ease of fabrication
- Greenguard® and Oeko- Tex® certified




WHITE
GALECOMHV-WHT



NATURAL
GALECOMHV-NAT




YELLOW
GALECOMHV-YEL




ORANGE
GALECOMHV-ORA




RED
GALECOMHV-RED



DEEP OCHRE
GALECOMHV-DOCHRE




PURPLE
GALECOMHV-RPUR




AQUATIC BLUE
GALECOMHV-AQBLU



NAVY BLUE
GALECOMHV-NBLU




BRIGHT GREEN
GALECOMHV-BG




EMERALD
GALECOMHV-EME



BRUNSWICK GREEN
GALECOMHV-BGRN



STEEL GREY
GALECOMHV-STGRY



CHARCOAL
GALECOMHV-CHAR



BLACK
GALECOMHV-BLK



DESERT SAND
GALECOMHV-DSAN



COMMERCIAL 95 340

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALECOM95	300	40	340
GALECOM95FR	300	40	340 INDENT

Commercial 95® is a high quality knitted shade fabric designed for tension structures, awnings and shade covers specifically for commercial architectural applications: supplied in bulk rolls.

PRODUCT FEATURES


- 100% virgin grade polymers ensuring fabric consistency and performance
- UV block range from 91.1% to 95.5%
- 10 year warranty against UV degradation on fabric
- HDPE fabric that won't rot or absorb moisture
- Available in FR on Indent
- 100% recyclable
- 100% Lead and Phthalate free
- Stentered (heat-set) to reduce shrinkage
- Greenguard® and Oeko-Tex® certified



RIVERGUM GREEN



NATURAL
GALECOM95-NAT




DESERT SAND
GALECOM95-DSAN



DRIFTWOOD
GALECOM95-DRFWD



YELLOW
GALECOM95-YEL




ORANGE
GALECOM95-ORA



CHERRY RED
GALECOM95-CHERED



DEEP OCHRE
GALECOM95-DOCHRE




BLUEBIRD
GALECOM95-BBIRD




AQUAMARINE
GALECOM95-AQMAR




SKY BLUE
GALECOM95-SKBLU




TURQUOISE
GALECOM95-TQSE



AQUATIC BLUE
GALECOM95-AQBLY




NAVY BLUE
GALECOM95-NBLU



BRUNSWICK GREEN
GALECOM95-BGRN



RIVERGUM GREEN
GALECOM95-RGUM



BRIGHT GREEN
GALECOM95-BG



STONE
GALECOM95-STNE



STEEL GREY
GALECOM95-STGRY



GUN METAL
GALECOM95-GMET



CHARCOAL
GALECOM95-CHAR



BLACK
GALECOM95-BLK

DOCRIL AWNING BY CITEL



DOCRIL AWNING


CITEL

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
DOCRIL120	120	60	295

Designed and manufactured in Spain and known for its superb quality with an extensive colour palette. Solution dyeing, with no mixing or dyeing during the finishing process adds pigments to the molecule of the fibre ensuring long lasting, vibrant colour.

PRODUCT FEATURES

- 100% solution dyed acrylic fibre
- Teflon coating
- 84 vibrant colours
- 10 Year warranty
- Mildew resistant
- Rot resistant
- Oil repellent



DOCRIL120-1000



DOCRI120-001



DOCRI120-061




DOCRI120-080




DOCRI120-002




DOCRI120-086



DOCRI120-037



DOCRI120-079



DOCRI120-591




DOCRI120-106




DOCRI120-592




DOCRI120-041




DOCRI120-067



DOCRI120-675




DOCRI120-1000




DOCRI120-676




DOCRI120-494




DOCRI120-113




DOCRI120-198




DOCRI120-098




DOCRI120-677




DOCRI120-114




DOCRI120-039



DOCRI120-003



DOCRI120-066



DOCRI120-036




DOCRI120-035




DOCRI120-040




DOCRI120-683



DOCRI120-074




DOCRI120-060




DOCRI120-107



DOCRI120-145



DOCRI120-111



DOCRI120-006




DOCRI120-686




DOCRI120-072



DOCRI120-064




DOCRI120-328




DOCRI120-492



DOCRI120-103




DOCRI120-007



DOCRI120-063




DOCRI120-077



DOCRI120-084



DOCRIL STRIPES





DOCRIIL NAUTICA MARINE ACRYLIC CANVAS

CITEL

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
DOCRIIL60N	152.4	60	315

Docril Nautica is distinguished by its waterproofness, which makes this fabric the best option for sailboats and sailing lovers who need a higher water column to avoid leaks. It has excellent stability and great protection against UV rays (UPF50+).

PRODUCT FEATURES

- 100% water resistant
- Teflon coated front
- PU coated back
- Oil repellent
- 5 Year warranty
- Mildew resistant
- Rot resistant



NATURAL
DOCRIIL60N-061



LIGHT GREY
DOCRIIL60N-041



GREY
DOCRIIL60N-067




TOFFEE
DOCRIIL60N-086



BURGUNDY
DOCRIIL60N-060



PURE BLACK
DOCRIIL60N-680



SAPPHIRE
DOCRIIL60N-084



NAVY
DOCRIIL60N-077



PACIFIC BLUE
DOCRIIL60N-682



HERITAGE GREEN
DOCRIIL60N-072

DOCRIL MARINE ACRYLIC CANVAS


CITEL

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
DOCRIL60	152.4	60	295
DOCRIL200	200	60	295
DOCRIL250	250	50	295

Docril Marine is made in Spain by Citel who control the entire manufacturing process from procuring of the acrylic solution dyed fibre, to the spinning and finishing process, producing one of best acrylic canvasses available today. TEFLON® is used in the finishing process to increase wear resistance of the fabric. It also makes the fabric more resistant to soiling from atmospheric pollutants and general dirt particles whilst maintaining air permeability.

PRODUCT FEATURES

- Water repellent
- Teflon coated
- Mildew resistant
- 5 Year warranty
- Oil repellent



DOCRIL MARINE 60"



DOCRIL MARINE 200CM



DOCRIL MARINE 250CM





ULTRAMARINE VINYL


ULTRAMARINE

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
VUSTA	137	30	646
VUPEB	137	30	646


UltraMarine is one of the highest quality marine grade vinyls available. UltraMarine is manufactured to meet the highest standards in Marine, Automotive and Commercial upholstery. 1.1mm thick and available in two different emboss styles which can be used individually or together to create a unique style for your application.

PRODUCT FEATURES

- Indoor & outdoor use
- UV treatment
- Anti mildew
- Fire rated additives
- Marine use
- 2 Year warranty



ULTRAMARINE SMOOTH



ULTRAMARINE PEBBLE

ULTRAMARINE SMOOTH

 POLAR VUSTAPOL	 QUICKSILVER VUSTAQUICKSILVER	 CREAM VUSTACREAM	 BEACH BEIGE VUSTABEACH	 SANDSTONE VUSTASAND	 TAUPE VUSTATAUPE
 YELLOWTAIL VUSTAYELLOWTAIL	 ORANGE VUSTAOR	 RED SNAPPER VUSTARS	 PORT BURGUNDY VUSTAPORTB	 STINGRAY VUSTASG	 BLUEBOTTLE VUSTABB
 NAVY SEAL VUSTANS	 DARK CHARCOAL VUSTADCHA	 BLACKTIP VUSTABT			

ULTRAMARINE PEBBLE

 POLAR VUPEBPOL	 CREAM VUPEBCRE	 SANDSTONE VUPEBSANDSTONE	 BAHAMA TAN VUPEBBAHAMATAN	 CHOCOLATE VUPEBCHO	 NAVY SEAL VUPEBNAV
 BLUEBOTTLE VUPEBBLU	 GREY NURSE VUPEBGREYNURSE	 DARK CHARCOAL VUPEBDCHA	 BLACKTIP VUPEBBT		



PROTECT MESH 392


SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF392S2	180	50	820

Protect 392 S2 is a very open (27%) fire retardant mesh with excellent weight/strength ratio enabling good transmission of light and ventilation. Very versatile material - use to block sun or wind, or for partitions or doors.

PRODUCT FEATURES


- Long lifespan and easy cleanability
- High weight and mechanical strength
- Fire certification M2/B1
- 10 year warranty



BLACK



WHITE
SF392S2-100S



BLACK
SF392S2-107S

PROTECT MESH 492


SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF492S2	180	50	1050

Protect 492 S2 is an ultra-resistant, fireproof grid with a large opening mesh (opening factor 31%), ideal for catamaran trampolines, trampoline parks and sporting applications.

PRODUCT FEATURES

- Excellent resistance to sea and mountain environments
- High weight, high opening factor and good mechanical resistance
- Fire resistant M2/ B1 classification
- 10 Year warranty



WHITE
SF492S2-100S2



FLEXLIGHT PERFORM 502S2 & 702S2

SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF502 S2	250	50	590
SF702 S2	267	50	750

Bright white that is very easy to clean, so maintains a beautiful aesthetic with exceptional longevity. Suitable for halls and clear spans, high-end structures and air domes.

PRODUCT FEATURES


- UV. resistance
- Optimum weight/strength ratio
- Serge Ferrari Précontraint technology
- Exceptional luminosity
- Anti-capillarity treatment
- S2 varnish: exceptional cleanability
- 10 year warranty for 502S2
- 15 year warranty for 702S2

FLEXLIGHT PERFORM 502S2



502S2 TRANSLUCENT WHITE
SF502-8604S2

FLEXLIGHT PERFORM 702S2



702S2 TRANSLUCENT WHITE
SF702-8604S2



FLEXLIGHT CLASSIC 402 & 602

SERGE FERRARI


CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF402	267	50	490
SF602	267	50	620

Flexlight Classic 402 and 602 are fireproof membranes that provide protection from all weather conditions, water and UV. They have excellent longevity and weldability along with being lightweight. Both transmit a comfortable level of natural light and are easy to clean for a longer "like-new" lifespan. Suitable for use in Clear span and aluminium structures, frame tents, pole tents and inflatable structures.


PRODUCT FEATURES

- Easy to weld
- Very good mechanical resistance
- High transparency
- High dimensional stability due to Précontraint® technology
- Optimum weight/strength ratio

FLEXLIGHT
CLASSIC
402




WHITE
SF402-8104



CHAMPAGNE
SF402-8341

FLEXLIGHT
CLASSIC
602



WHITE
SF602-8100



SOLARWEAVE 185

GALE PACIFIC


CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALESOL400	205	50	185
GALESOL400	205	100 — JUMBO	185 INDENT

Recognised as the best in its category, Solarweave® 185 has proven its performance working in Australian conditions for more than 30 years. Its polyethylene-based, semi-transparent fabric is well suited for horticultural and hothouse applications.


Solarweave® 185 is made from premium UV-stabilised materials and coated in Gale Pacific’s factory in Australia using our proprietary coating process. Excellent toughness and strength, yet is light enough for easily handling.

PRODUCT FEATURES

- “Best in Show” light transmission provides greater yields
- Improved weldability and very good weld strength compared to similar products
- Dirt repellent PE coating for good appearance and reduced maintenance
- Good resistance to chemicals allows versatility of use in number of greenhouse environments
- Excellent durability and strength versus weight for ease of handling
- Full 5 year UV degradation warranty
- Good resistance to accidental punctures, minimises repair and replacement costs



NATURAL



WHITE
GALESOL400-WHT



NATURAL
GALESOL400-NAT



PREMIUM HORTSHADE

GALE PACIFIC


CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALEHORTLGT2	200	50	160
GALEHORTLGT4	400	50	160
GALEHORTMED2	200	50	220
GALEHORTMED4	400	50	220
GALEHORTHVY2	200	50	276
GALEHORTHVY4	400	50	276

GALE Pacific's Premium Hortshade® is a high-quality, knitted shadecloth that provides optimum performance in any climate. Available in a range of weights and colours and designed for use in horticultural, agricultural and commercial applications to protect animals/livestock, assets and crops.

Made from UV-stabilised HDPE, it is designed to resist sun damage, water absorption, rotting and will not tear or fray if cut. This recyclable fabric provides weather and pest protection, can enhance yields, improve crop aesthetics and provide an overall more efficient environment for plant growth.


PRODUCT FEATURES

- 52%–77% UV block provides optimal conditions for plant growth or for protection of assets and livestock
- Strong HDPE fabric won't rot or absorb moisture and withstands harsh weather conditions
- Available in several grades, widths and colours
- 100% lead and phthalate free
- Greenguard® and Oeko-Tex® certified
- Engineered in Australia
- 100% recyclable
- 10 year UV degradation warranty on fabric




HEAVY - BLACK & FOREST GREEN


PREMIUM HORTSHADE LIGHT



WHITE
GALEHORTLGT2-WHT
GALEHORTLGT4-WHT




FOREST GREEN
GALEHORTLGT2-FGRN
GALEHORTLGT4-FGRN




BLACK
GALEHORTLGT4-BLK

PREMIUM HORTSHADE MEDIUM



WHITE
GALEHORTMED2-WHT
GALEHORTMED4-WHT




FOREST GREEN
GALEHORTMED2-FGRN
GALEHORTMED4-FGRN



BLACK
GALEHORTMED2-BLK
GALEHORTMED4-BLK

PREMIUM HORTSHADE HEAVY



FOREST GREEN
GALEHORTHVY2-FGRN
GALEHORTHVY4-FGRN



BLACK
GALEHORTHVY2-BLK
GALEHORTHVY4-BLK



MEHLER POLYMAR TRAFFIC 8556


MEHLER TECHNOLOGIES

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
8556	300	60	900

POLYMAR® 8556 is Synonymous with the highest quality PVC for Truck Curtain Side and industrial applications globally. Made by Mehler Technologies® Hückelhoven plant in Germany. POLYMAR® 8556 is a calendar coated, 900gsm panama fabric with high quality lacquer finish for superior print finish and longevity. A comprehensive colour range of 19 colours stocked in New Zealand, matt white specifically for print applications and access to a further 32 colours ex stock in Germany.

PRODUCT FEATURES

- PVC Laquered both sides for stability and longevity
- Matt white for custom printing
- White available in 320cm



YELLOW GREEN



BRILLIANT YELLOW
MPT8556-119



SIGNAL YELLOW
MPT8556-148



PURE ORANGE
MPT8556-244



TRAFFIC RED
MPT8556-290



FIRE RED
MPT8556-356




ROYAL BLUE
MPT8556-543



ULTRAMARINE
MPT8556-544



ULTRA BLUE
MPT8556-557



COBALT BLUE
MPT8556-566




LAGOON
MPT8556-586



YELLOW GREEN
MPT8556-619




TURKISH GREEN
MPT8556-634




MOSS GREEN
MPT8556-679




LIGHT GREY
MPT8556-705



PALE GREY
MPT8556-717



ALUMINIUM GREY
MPT8556-763




SILVER
MPT8556-911717



DEEP BLACK
MPT8556-9059



WHITE
MPT8556-907



WHITE MATT - PRINT
MPT8556-914/5943

GP1000

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GP1000	250	30	630


GP1000 is a premium quality 630gsm plain weave, spread coated PVC with gloss acrylic lacquer developed by QCD using the the highest quality resins and UV stabilisers.

PRODUCT FEATURES

- 1000D polyester 7x7cm
- UV stabilised scrim and coating
- Gloss acrylic lacquered both sides
- FR AS1530.1
- Custom length roll available on Indent
- 4 year warranty




BLUE



WHITE
GP1000WT



LIGHT GREY
GP1000GY




DARK GREY
GP1000DG



FOREST GREEN
GP1000FG



BLUE
GP1000BU



BLACK
GP1000BK

RS1000


QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
RS1000-2.5	250	30	670
RS1000-3.2	320	30	670


RS1000™ is a premium quality 670gsm rip stop reinforced PVC. Spread coated with gloss acrylic lacquer developed by QCD, using the the highest quality resins, UV stabilisers and fire retardant inhibitors.

PRODUCT FEATURES

- 1000D Tex polyester 23x23 inch
- UV stabilised scrim and coating
- Gloss acrylic lacquered both sides
- 4 year warranty
- FR AS1530.1
- Most colours also available in 320cm width



BLUE



WHITE
RS1000WHITE-2.5
RS1000WHITE-3.2



DARK GREY
RS1000DARKGREY-2.5
RS1000DARKGREY-3.2



FOREST GREEN
RS1000FOREST-2.5
RS1000FOREST-3.2



RED
RS1000RED-2.5
RS1000RED-3.2



BLUE
RS1000BLUE-2.5
RS1000BLUE-3.2



BLACK
RS1000BLACK-2.5
RS1000BLACK-3.2



BEIGE
RS1000BEIGE-2.5



YELLOW
RS1000YELLOW-2.5



ORANGE
RS1000ORANGE-2.5



AQUACON 345

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALEAQUACON	205 - 250	JUMBO	345


Aquacon™ 345 is a premium polyethylene scrim reinforced coated fabric, specifically designed for floating cover and liner applications.

Lightweight, flexible and durable Aquacon™ 345 exhibits class leading welding characteristics, providing effective and efficient field welding performance, ideal for in-factory fabrication and deployment on-site.

The high strength woven HDPE scrim reinforcement and engineered UV-stabilised polyethylene coatings provide outstanding puncture and abrasion resistance to withstand the harshest of installation and environmental conditions.

PRODUCT FEATURES

- UV stabilised coatings
- Lightweight
- Waterproof
- Scrim reinforcing providing excellent puncture and abrasion resistance



ICE BLUE/BLACK
GALEAQUACON-BL/BLK

AQUAMARK 400 & 480


GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALEAQU400-BLK	205	MINI JUMBO – JUMBO	400
GALEAQU400-BLK-25	250	50	400
GALEAQU480-BLK	250	50	480

Aquamark® is an easy to install, lightweight, flexible and extremely tough fabric. It is water potable certified, UV-stabilised polypropylene liner fabric, certified to AS/NZS 4020 standards. Featuring excellent welding characteristics and high tear strength it is ideal for a wide range of water and effluent containment and storage applications.

PRODUCT FEATURES

- Large liner sections can be prefabricated for speedy installation
- Polypropylene coating resists flex cracking and chemicals
- No plasticisers, eliminating leaching
- 100% recyclable material. No chlorine or heavy metals
- AS4020 approved for contact with potable water. Ideal for grey, black and potable water storage
- High strength layered material with excellent dimensional stability




AQUAMARK
400

AQUAMARK
480



GLOSS BLACK
GALEAQU400-BLK



MATT BLACK
GALEAQU480-BLK

CANVACON


GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALECAN5000E	205	50	260
GALECAN5000E	205	JUMBO 1000	260 INDENT
GALECAN7000E	205	50	306
GALECAN7000E	205	JUMBO 1000	306 INDENT

Canvacon® is a woven, polyethylene-based polyfabric designed for industrial and agricultural purposes. It provides excellent strength-to-weight performance, high abrasion and tear resistance, with excellent welding characteristics. Light weight polypropylene enables large liner sections to be prefabricated for speedy installation. Suitable for shelters covers, waterproof linings and membranes.

PRODUCT FEATURES

- UV-stabilised coating and UV-stabilised basecloth
- 100% recyclable
- 3-year UV and delamination warranty
- Class leading flex and abrasion resistance
- Excellent coating adhesion for improved welding
- Dirt repellent PE coating reduces maintenance processing and costs



WHITE
GALECAN5000E-WHT
GALECAN7000E-WHT



WHITE/SILVER
GALECAN5000E-S/W
GALECAN7000E-S/W



BEIGE
GALECAN5000E-BEI



BLUE
GALECAN5000E-BLU
GALECAN7000E-BLU



ICE BLUE/BLUE
GALECAN5000E-ICEBLU



GREEN
GALECAN5000E-GRN
GALECAN7000E-GRN



LANDMARK 340

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALELAN340	205	50	340
GALELAN340-GRN	205	JUMBO	340
GALELAN340TS1	205	50	340
GALELAN340TS2	205	50	400


Landmark® 340 is a high quality Polypropylene based polyfabric designed for a wide range of heavy duty industrial and agricultural tarpaulins, covers, curtains and membranes. Available in a range of colours and supplied in bulk rolls. The environmental alternative to PVC.

White is also available in a Tearstop, which is either coated once (TS1C), or twice (TS2C) for a more solid white finish.


PRODUCT FEATURES

- Developed and coated in Australia
- Polypropylene coating with excellent UV durability, chemical and flex crack resistance
- Dirt repellent coating, assisting in-field welding and seam strength
- Tear stop option available, coated once or twice
- Does not require polymeric or liquid plasticiser, eliminating leaching
- Strong and Light
- 100% Lead and Phthalate free and recyclable
- Greenguard® and Oeko-Tex® certified

LANDMARK 340



LANDMARK 340 TEARSTOP



MULTIBLOCK 425

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALEMLT400	205	50	425

Made from premium UV-stabilised materials, Multiblock® 425 is the market leader with proven performance in harsh weather conditions.

The fabric is coated in Gale Pacific's Australian factory using our proprietary coating process. The specialised multi-layer coating and laminated fabric reduces light in situations where poultry and livestock is kept. Multiblock® 425 is supplied in bulk rolls.

PRODUCT FEATURES

- Black filament scrim with special laminate for effective 'black out'
- Multi-layer coating provides a high degree of water proofing
- Very good weld strength
- UV-stabilised base fabric, coating and film layers
- Long service life 100% recyclable



BLACK/WHITE
GALEMLT400-BLK/WHT



BLACK/GREEN
GALEMLT400-BLK/GRN

HAY COVER

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
PEHAY-OG	400	50	300

High quality Woven PE Cloth. 14x14 construction. This product is available in 4m wide making it the perfect product for Hay covers. Product is backed by a 3 year UV warranty.




OLIVE GREEN
PEHAY-OG

PE NATURAL

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
PENAT	183	50	180

A lightweight semi-transparent PE fabric. PE natural can be used for patterning and wrapping. It is UV stabilised.



TRANSLUCENT
PENAT

RAZORBACK

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
RZB08	200	40	380
RZB12	200	40	520
RZB12RS	200	40	520


Razorback is manufactured to ensure superior performance and conformity to all required specifications. The canvas is passed through a modern proofing process which locks in all critical properties of UV stabilisation, colour fastness, mould and mildew inhibitors. This ensures that Razorback canvas has the best water resistance available in the market today. The advanced controlled drying technique ensures that there is very little shrinkage making it the go to choice for professionals.

PRODUCT FEATURES


- 5 year warranty
- Mould resistant
- Breathable
- UV resistant
- Impregnation
- Rain resistant
- Lay flat




80Z & 120Z PLAIN




BLACK
RZB08BLACK
RZB12BLACK




DARK GREY
RZB08DKGREY
RZB12DKGREY




DARK OLIVE
RZB08DKOLIVE
RZB12DKOLIVE



LIGHT GREY
RZB08LTGREY
RZB12LTGREY




NAVY
RZB08NAVY
RZB12NAVY




SAND
RZB08SAND
RZB12SAND

120Z RIPSTOP




BLACK
RZB12RSBLACK



DARK GREY
RZB12RSDKGREY



DARK OLIVE
RZB12RSDKOLIVE



LIGHT GREY
RZB12RSLTGREY



NAVY
RZB12RSNAVY



SAND
RZB12RSSAND



QBASE


QCD

CODE	WIDTH - CM	ROLL LENGTH - M
QBASE	137	27.5


QBASE is a high quality vinyl suitable for domestic upholstery and Auto Trimming solutions.

PRODUCT FEATURES

- UV stabilised
- High frequency weldable
- PVC / expanded foam
- Knitted rayon / Polyester weave



BLACK

 LIGHT NEUTRAL QBASE21	 LIGHT GREY QBASE04	 LIGHT GRAPHITE QBASE27
 CLEAR GREY QBASE05	 MEDIUM DARK PEWTER QBASE30	 MEDIUM GREY QBASE06
 MEDIUM PARCHMENT QBASE35	 MEDIUM BEIGE QBASE25	 DARK BROWN QBASE15
 GRAPHITE QBASE31	 BLACK QBASE01	 MIDNIGHT BLACK QBASE22
 DARK GREEN QBASE20		

QBOOT

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
QBOOT	137	45.8	275

QBOOT interior bootliner is an ideal solution when a lightweight and flexible product is required for a variety of end uses.

PRODUCT FEATURES

- Needle punched polyester




SILVER



SILVER
QBOOT02



DARK HEATHER
QBOOT04



BLACK
QBOOT01

QFLOOR

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
QFLOOR	203	22.86	500

QFLOOR is an ideal solution for vehicle flooring and lining to provide a soft and plush finish.

PRODUCT FEATURES

- Other colours available on request for roll amounts
- Needle punched polyester



MEDIUM GRAPHITE




MEDIUM NEUTRAL
QFLOOR1807




MEDIUM GRAPHITE
QFLOOR1805



MEDIUM GREY
QFLOOR1804



GRAPHITE
QFLOOR1802



BLACK
QFLOOR1801

QLINE

QCD


CODE	WIDTH - CM	ROLL LENGTH - M
QLINE	150	45.8

QLINE is a durable and hardwearing Auto Headliner fabric suitable for new and replacement headliner solutions. Imported from the USA.

QLINE DIAMOND

		
LIGHT NEUTRAL QLINE2335	LIGHT GREY MEDIUM QLINE6004	DOVE GREY QLINE2325
		
OPAL GREY QLINE2292	LIGHT GREY QLINE2294	ANTHRACITE QLINE1000
		
BLACK QLINE2300		

QLINE BRUSHED

		
TOYOTA GREY QLINE2291	LIGHT GRAPHITE QLINE2173	BLUISH GREY QLINE2206
		
GRAPHITE QLINE2001	BLACK QLINE1559	

TONNEAU COVER

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
TONNEAUPVCBLK	320	30	700

The Riplock base cloth gives high levels of strength and durability while the embossed surface finish offers excellent scratch resistance ensuring a long lasting PVC with many general purpose applications including tonneau covers, trailer covers, caravan, camping & leisure bags & covers, heavy duty sports equipment & most domestic cover applications. Tonneau Cover uses only the highest quality virgin grade PVC resins, UV stabilisers and importantly made using non-toxic DiNP plasticisers which are REACH, RoHS and VCA certified.




PRODUCT FEATURES

- Available in both flat knit and brushed finishes
- Polyester knitted fabric with 3mm foam backing



		
LIGHT QUARTZ QLINE1913	CLEAR GREY QLINE2209	MEDIUM GRAPHITE QLINE2076




BLACK TONNEAUPVCBLK

PRODUCT FEATURES

- Meets ROHA, REACH & VCA requirements
- Matt embossed finish

WOOL CHECKS

CROSS LINKS INTERNATIONAL


CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
RCC	183	23	511

PRODUCT FEATURES

- Made in India using recycled Australian wool hosiery
- Composition 80% wool / 20% other fibres



NAVY COLLAR CHECK
RCC45



COLLAR CHECK RED
RCC50



BLUE WHITE CHECK
RCC42

WOOL PLAIN KERSEY

CROSS LINKS INTERNATIONAL

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
RPC	183	25	511

PRODUCT FEATURES

- Composition 80% wool / 20% other fibres
- Using recycled Australian wool hosiery



ROYAL BLUE
RPC16




NAVY
RPC12




BOTTLE GREEN
RPC11



SCARLET
RPC09



BLACK
RPC10



BURGUNDY
RPC15

WOOL POLY LINING

TERRA LANA

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
RPW14W	140	30	500
RPW16G	160	30	500

PRODUCT FEATURES

- Made in New Zealand



FELTED POLY WOOL



WHITE
RPW14W



GREY
RPW16G

ULTRALON FOAM


CODE	NOMINAL DENSITY KG/M ³	HARDNESS IFD 40%N	COMFORT/INDENT FACTOR	RESILIENCE MIN. %	TYPICAL USES
S-SLAB H35-130 1900X2060X900	35	130±20	1.75	40	SEATING & MATTRESSES
S-SLAB H35-165 1900X2060X960	35	165±20	1.75	40	SEATING & MATTRESSES
S-SLAB H35-200 1900X2060X960	35	200±20	1.80	40	SEATING & MATTRESSES
S-SLAB H42-500 2100X1890X720	42	500±20	1.80	20	HIGH LOAD BEARING, AUTOMOTIVE USES & VERY FIRM BEDDING
S-SLAB N27-160 2150X2060X1030	27	160±20	1.75	40	SEATING, AUTOMOTIVE USES, BEDDING & MATTRESS OVERLAY
S-SLAB N31-190 2150X2060X1000	31	190±20	1.75	35	HIGH LOAD BEARING, THIN SEATING & ARM RESTS
S-SLAB U29-400	29	400±20	1.85	20	CARPET UNDERLAY, HIGH LOAD BEARING UPHOLSTERY & PACKAGING

Ultralon Foam is used by the Marine, Construction, and Comfort sectors, complementing the vast range of industries supplied by QCD - Marine Trimming, Motor Trimming, Caravan Builders, Boat Builders and Bedding Manufacturers. We are offering various specifications and grades so you can select the best option to suit many demanding, highly technical applications, resulting in foam that is perfectly tailored for each specific use.

The widths below are held in stock, different widths and profile bun cuts are available on request.



S-SLAB H35-130
1900X2060X900
25MM, 50MM, 75MM,
100MM, 125MM, 150MM



S-SLAB H35-165
1900X2060X960
25MM, 50MM, 75MM,
100MM, 125MM



S-SLAB H35-200
1900X2060X960
25MM, 50MM, 75MM,
100MM, 125MM



S-SLAB H42-500
2100X1890X720
25MM, 50MM



S-SLAB N27-160
1900X2060X1030
25MM, 50MM, 75MM,
100MM



S-SLAB N31-190
1900X2060X1000
25MM, 50MM, 75MM,
100MM



S-SLAB U29-400
2240X2060X1000
25MM, 50MM, 75MM,
100MM

QFOAM

QCD

CODE	WIDTH - CM	ROLL LENGTH - M
QFOAM1/8	150	25
QFOAM1/4	150	25
QFOAM3/8	150	25
QFOAM1/2	150	12.5

QFOAM is a Flexible Polyurethane foam that has been engineered to be easy to sew while still retaining its shape when used as a backing behind leather, vinyl and fabrics. The 100% Polyester Knit backing has superior stitch holding power and flexibility that allows it to follow contours without creasing, folding or tearing.



3MM
QFOAM1/8



6MM
QFOAM1/4



10MM
QFOAM3/8



12MM
QFOAM1/2

PRODUCT FEATURES

- Superior stitch hold & definition
- Will not harbour fungus or bacteria
- Ideal for high humidity environments

200D 'SOLARMAX' FLAG NYLON


SOLARMAX

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
FH2	153	118	105


DuPont Bright 6.6 200 x 200 denier nylon with UV finish.
Uses include Flags, banners, signs and windsocks.

PRODUCT FEATURES

- Most colors available in Quick-Pick:
9.1m/10 yard rolls
- Firm flag finish
- Resists fading - UV inhibitor in all colors
- Water repellent and quick drying



WHITE
FH2WT




ROYAL BLUE
FH2RB



CANADIAN RED
FH2RD

* OTHER COLOURS AVAILABLE ON SPECIAL ORDER



CANADIAN RED

TERMS & CONDITIONS

1. Definitions

- 1.1 "Seller" shall mean QCD Limited and its successors and assigns.
- 1.2 "Customer" shall mean the Customer or any person acting on behalf of and with the authority of the Customer.
- 1.3 "Guarantor" means that person (or persons), or entity that agrees herein to be liable for the debts of the Customer on a principal debtor basis.
- 1.4 "Goods" shall have the same meaning as in section 119 of the Contract and Commercial Law Act 2017 and are goods supplied by the Seller to the Customer (and where the context so permits shall include any supply of Services as hereinafter defined).
- 1.5 "Services" shall mean all services supplied by the Seller to the Customer and includes any advice or recommendations (and where the context so permits shall include any supply of Goods as defined above).
- 1.6 "Price" shall mean the cost of the Goods as agreed between the Seller and the Customer subject to clause 4 of this contract.

2. Acceptance

- 2.1 Any instructions received by the Seller from the Customer for the supply of Goods and/or the Customer's acceptance of Goods supplied by the Seller shall constitute acceptance of the terms and conditions contained herein.
- 2.2 Where more than one Customer has entered into this agreement, the Customers shall be jointly and severally liable for all payments of the Price.
- 2.3 Upon acceptance of these terms and conditions by the Customer the terms and conditions are irrevocable and can only be rescinded in accordance with these terms and conditions or with the written consent of the manager of the Seller.
- 2.4 None of the Seller's agents or representatives are authorised to make any representations, statements, conditions or agreements not expressed by the manager of the Seller in writing nor is the Seller bound by any such unauthorised statements.
- 2.5 The parties agree that for the purposes of the Construction Contracts Act 2002 together with any amendments to the Construction Contracts Act 2022 this contract is not a commercial construction contract or a construction contract whether for a commercial or residential property or work and devise liability under this contract shall be in no way limited by any contract that the Customer may have entered into with a third party in relation to the supply of Goods and/or Services to that third party or the payment by the third party to the Customer of any monies whether by progress payments or otherwise.

3. Goods / Services

- 3.1 The Goods and/or Services are as described on the invoices, quotation, work authorisation or any other work commencement forms as provided by the Seller to the Customer.
- 3.2 Any credit limit approved by the Seller may be reviewed by the Seller from time to time at its sole discretion. The credit limit may be increased or reduced by the Seller following the review without the need to give notice to the customer for the increase or reduction.

4. Price And Payment

- 4.1 At the Seller's sole discretion the Price shall be either;
- (a) as indicated on invoices provided by the Seller to the Customer in respect of Goods supplied; or
- (b) the Seller's current Price, at the date of delivery of the Goods, according to the Seller's current Price list; or
- (c) Seller's quoted Price (subject to clause 4.2) which shall be binding upon the Seller provided that the Customer shall accept in writing the Seller's quotation within thirty (30) days.
- 4.2 The Seller may by giving notice to the Customer (verbally or otherwise) at any time before delivery increase the Price of the Goods to reflect any variation from the plan of scheduled works or specifications beyond the reasonable control of the Seller which increase the cost of the Goods/Services by more than 10% of the quoted Price.
- 4.3 At the Seller's sole discretion a deposit may be required. The deposit amount or percentage of the Price will be stipulated at the time of the order of the Goods and shall become immediately due and payable.
- 4.4 Time for payment for the Goods shall be of the essence and will be stated on the invoice, quotation or any other order forms. If no time is stated then payment shall be on delivery of the Goods.
- 4.5 The Seller may withhold delivery of the Goods until the Customer has paid for them, in which event payment shall be made before the delivery date.
- 4.6 At the Seller's sole discretion, payment for approved Customer's shall be due on the twentieth (20th) of the month in which a statement is posted to the Customer's address or address for notices.
- 4.7 At the Seller's sole discretion, for certain approved Customers payment will be due seven (7) days following the date of the invoice.
- 4.8 Payment will be made by cash on delivery, or by cheque, or by bank cheque, or by direct credit, or by credit card, or by any other method as agreed to between the Customer and the Seller.
- 4.9 The Price shall be increased by the amount of any GST and other taxes and duties which may be applicable, except to the extent that such taxes are expressly included in any quotation given by the Seller.
- 4.10 The Seller will charge a 2.5% premium for all payments made by credit card or by contactless credit or debit card payment systems such as "Paywave".

5. Delivery Of Goods

- 5.1 Delivery of the Goods shall be made to the Customer's address. The Customer shall make all arrangements necessary to take delivery of the Goods whenever they are tendered for delivery.
- 5.2 The costs of carriage and any insurance which the Customer reasonably directs the Seller to incur, shall be reimbursed by the Customer (without any set-off or other withholding whatever) and shall be due on the date for payment of the Price. The

carrier shall be deemed to be the Customer's agent.

- 5.3 The Seller may deliver the Goods by separate instalments (in accordance with the agreed delivery schedule). Each separate instalment shall be invoiced and paid for in accordance with the provisions in this contract of sale.
- 5.4 Delivery of the Goods to a third party nominated by the Customer is deemed to be delivery to the Customer for the purposes of this agreement.
- 5.5 The Customer shall take delivery of the Goods tendered notwithstanding that the quantity so delivered shall be either greater or less than the quantity purchased provided that:
- (a) such discrepancy in quantity shall not exceed 5%, and
- (b) the Price shall be adjusted pro rata to the discrepancy.
- 5.6 The failure of the Seller to deliver shall not entitle either party to treat this contract as repudiated.
- 5.7 The Seller shall not be liable for any loss or damage whatever due to failure by the Seller to deliver the Goods (or any of them) promptly or at all.

6. Risk

- 6.1 If the Seller retains title to the Goods nonetheless all risk for the Goods passes to the Customer on delivery.
- 6.2 If any of the Goods are damaged or destroyed prior to title to them passing to the Customer, the Seller is entitled, without prejudice to any of its other rights or remedies under these terms and conditions (including the right to receive payment of the balance of the Price for the Goods), to receive all insurance proceeds payable in respect of the Goods. This applies whether or not the Price has become payable under these terms and conditions. The production of these terms and conditions by the Seller is sufficient evidence of the Seller's rights to receive the insurance proceeds without the need for any person dealing with the Seller to make further enquiries.

7. Defects/Returns

- 7.1 The Customer shall inspect the Goods on delivery and shall within seven (7) days subject to any mandatory provisions under the Consumer Guarantees Act 1993 of delivery notify the Seller of any alleged defect, shortage in quantity, damage or failure to comply with the description or quote. The Customer shall afford the Seller an opportunity to inspect the Goods within a reasonable time following delivery if the Customer believes the Goods are defective in any way. If the Customer shall fail to comply with these provisions the Goods shall be conclusively presumed to be in accordance with the terms and conditions and free from any defect or damage.
- 7.2 For defective Goods, which the Seller has agreed in writing that the Customer is entitled to reject, the Seller's liability is limited to either (at the Seller's discretion) replacing the Goods or repairing the Goods provided that:
- (a) the Customer has complied with the provisions of clause 7.1;
- (b) the Goods are returned at the Customer's cost within fourteen (14) days of the delivery date;
- (c) the Seller will not be liable for Goods which have not been stored or used in a proper manner;
- (d) the Goods are returned in the condition in which they were delivered and with all packaging material, brochures and instruction material in as new condition as is reasonably possible in the circumstances.
- 7.3 The Seller may (in its discretion) accept the Goods for credit but this may incur a handling fee of 15% of the value of the returned Goods plus any freight or \$100.00 which ever is the greater of.
- 7.4 Goods returned for credit must be returned within 14 days of purchase, are subject to approval, and incur a restocking fee being the greater of 15% of invoice value or \$100. Custom items manufactured or cut to length are non-refundable. In the event of a claim the seller liability is restricted to the invoice price only. Title of goods supplied shall not pass to the Customer until full payment is received.

8. Warranty

- 8.1 For Goods not manufactured by the Seller, the warranty shall be the current warranty provided by the manufacturer of the Goods. The Seller shall not be bound by nor responsible for any term, condition, representation or warranty given by the manufacturer of the Goods.

9. Default & Consequences Of Default

- 9.1 Interest on overdue invoices shall accrue from the date when payment becomes due daily until the date of payment at a rate of 2.5% compounding per calendar month and shall accrue at such a rate after as well as before any judgement.
- 9.2 If the Customer defaults in payment of any invoice when due, the Customer shall indemnify the Seller from and against all of the Seller's costs and disbursements including on a solicitor and own client basis and in addition all of the Seller's nominees costs of collection.
- 9.3 Without prejudice to any other remedies the Seller may have, if at any time the Customer is in breach of any obligation (including those relating to payment), the Seller may suspend or terminate the supply of Goods to the Customer and any of its other obligations under the terms and conditions. The Seller will not be liable to the Customer for any loss or damage the Customer suffers because the Seller exercised its rights under this clause.
- 9.4 If any account remains unpaid at the end of the second month after supply of the Goods or Services the following shall apply: An immediate amount of the greater of \$20.00 or 10.00% of the amount overdue shall be levied for administration fees which sum shall become immediately due and payable in addition to the interest payable under clause 9.1 hereof.
- 9.5 In the event that:
- (a) any money payable to the Seller becomes overdue, or in the Seller's opinion the Customer will be unable to meet its payments as they fall due, or;
- (b) the Customer becomes insolvent, convenes a meeting with its creditors or proposes or enters into an arrangement with creditors, or makes an assignment for the benefit of its creditors, or;
- (c) a receiver, manager, liquidator (provisional or otherwise) or similar

person is appointed in respect of the Customer or any asset of the Customer, then without prejudice to the Seller's other remedies at law:

- (i) the Seller shall be entitled to cancel all or any part of any order of the Customer which remains unperformed in addition to and without prejudice to any other remedies; and
- (ii) all amounts owing to the Seller shall, whether or not due for payment, immediately become due and payable.

10. Title
10.1 It is the intention of the Seller and agreed by the Customer that property in the Goods shall not pass until:

- (a) The Customer has paid all amounts owing for the particular Goods, and
- (b) The Customer has met all other obligations due by the Customer to the Seller in respect of all contracts between the Seller and the Customer, and that the Goods, or proceeds of the sale of the Goods, shall be kept separate until the Seller shall have received payment and all other obligations of the Customer are met.

10.2 Receipt by the Seller of any form of payment other than cash shall not be deemed to be payment until that form of payment has been honoured, cleared or recognised and until then the Seller's ownership of rights in respect of the Goods shall continue.

10.3 It is further agreed that:

- (a) Until such time as ownership of the Goods shall pass from the Seller to the Customer the Seller may give notice in writing to the Customer to return the Goods or any of them to the Seller. Upon such notice the rights of the Customer to obtain ownership or any other interest in the Goods shall cease.
- (b) If the Customer fails to return the Goods to the Seller then the Seller or the Seller's agent may enter upon and into land and premises owned, occupied or used by the Customer, or any premises as the invitee of the Customer, where the Goods are situated and take possession of the Goods, without being responsible for any damage thereby caused.

11. Personal Property Securities Act 1999

11.1 Upon assenting to these terms and conditions in writing the Customer acknowledges and agrees that:

- (a) these terms and conditions constitute a security agreement for the purposes of the PPSA; and
- (b) a security interest is taken in all Goods previously supplied by the Seller to the Customer (if any) and all Goods that will be supplied in the future by the Seller to the Customer during the continuance of the parties relationship.

11.2 The Customer undertakes to:

- (a) sign any further documents and/or provide any further information, such information to be complete, accurate and up-to-date in all respects, which the Seller may reasonably require to register a financing statement or financing change statement on the Personal Property Securities Register;
- (b) indemnify, and upon demand reimburse, the Seller for all expenses incurred in registering a financing statement or financing change statement on the Personal Property Securities Register or releasing any Goods charged thereby;
- (c) not register a financing change statement or a change demand without the prior written consent of the Seller;
- (d) give the Seller not less than fourteen (14) days prior written notice of any proposed change in the Customer's name and/or any other change in the Customer's details (including but not limited to, changes in the Customer's address, facsimile number, or business practice); and
- (e) immediately advise the Seller of any material change in its business practices of selling the Goods which would result in a change in the nature of proceeds derived from such sales.

11.3 The Seller and the Customer agree that nothing in sections 114(1)(a), 133 and 134 of the PPSA shall apply to these Terms and Conditions.

11.4 The Customer waives its rights as a debtor under sections 116, 120(2), 121, 125, 126, 127, 129, 131 and 132 of the PPSA.

11.5 Unless otherwise agreed to in writing by the Seller, the Customer waives its right to receive a verification statement in accordance with section 148 of the PPSA.

11.6 The Customer unconditionally ratifies any actions taken by the Seller under clauses 11.1 to 11.5. under and by virtue of the power of attorney given by the Customer to the Seller.

12. Security & Charge

12.1 Despite anything to the contrary contained herein or any other rights which the Seller may have howsoever:

- (a) Where the Customer and/or the Guarantor (if any) is the owner of land, realty or any other asset capable of being charged, both the Customer and/or the Guarantor agree to mortgage and/or charge all of their joint and/or several interest in the said land, realty or any other asset to the Seller or the Seller's nominee to secure all amounts and other monetary obligations payable under the terms and conditions. The Customer and/or the Guarantor acknowledge and agree that the Seller (or the Seller's nominee) shall be entitled to lodge where appropriate a caveat, which caveat shall be released once all payments and other monetary obligations payable hereunder have been met.

(b) Should the Seller elect to proceed in any manner in accordance with this clause and/or its sub-clauses, the Customer and/or Guarantor shall indemnify the Seller from and against all the Seller's costs and disbursements including legal costs on a solicitor and own client basis.

(c) To give effect to the provisions of clause [11, 12.1(a) to (b)] inclusive hereof the Customer and/or the Guarantor (if any) do hereby irrevocably nominate constitute and appoint the Seller or the Seller's nominee as the Customer's and/or Guarantor's true and lawful attorney to execute mortgages and charges (whether registrable or not) including such other terms and conditions as the Seller and/or the Seller's nominee shall think fit in his/her/its/their absolute discretion against the joint and/or several interest of the Customer and/or the Guarantor in any land, realty

or asset in favour of the Seller and in the Customer's and/or Guarantor's name as may be necessary to secure the said Customer's and/or Guarantor's obligations and indebtedness to the Seller and further to do and perform all necessary and other acts including instituting any necessary legal proceedings, and further to execute all or any documents in the Seller's absolute discretion which may be necessary or advantageous to give effect to the provisions of this clause.

13. Intellectual property

13.1 Where the Seller has designed or drawn Goods for the Customer, then the copyright in those designs and drawings shall remain vested in the Seller, and shall only be used by the Customer at the Seller's discretion.

13.2 The Customer warrants that all designs or instructions to the Seller will not cause the Seller to infringe any patent, registered design or trademark in the execution of the Customer's order.

14. Cancellation

14.1 The Seller may cancel these terms and conditions or cancel delivery of Goods and Services at any time before the Goods are delivered by giving written notice. On giving such notice the Seller shall promptly repay to the Customer any sums paid in respect of the Price for those Goods. The Seller shall not be liable for any loss or damage whatsoever arising from such cancellation.

14.2 At the Seller's sole discretion the Customer may cancel delivery of Goods and/or Services. In the event that the Customer cancels delivery of Goods and/or Services the Customer shall be liable for any costs incurred by the Seller up to the time of cancellation.

15. Privacy Act 2020

15.1 The Customer and the Guarantor/s (if separate to the Customer) authorises the Seller to:

- (a) collect, retain and use any information about the Customer, for the purpose of assessing the Customer's creditworthiness or marketing products and services; and
- (b) to disclose information about the Customer, whether collected by the Seller from the Customer directly or obtained by the Seller from any other source, to any other credit provider or any credit reporting agency for the purposes of providing or obtaining a credit reference, debt collection or notifying a default by the Customer.

15.2 Where the Customer is a natural person the authorities under clause

15.1 are authorities or consents for the purposes of the Privacy Act 2020.

15.3 The Customer shall have the right to request the Seller for a copy of the information about the Customer retained by the Seller and the right to request the Seller to correct any incorrect information about the Customer held by the Seller.

16. Customer's Disclaimer

16.1 The Customer hereby disclaims any right to rescind, or cancel the contract or to sue for damages or to claim restitution arising out of any misrepresentation made to him by any servant or agent of the Seller and the Customer acknowledges that he buys the Goods relying solely upon his own skill and judgement.

18. Unpaid Seller's Rights To Dispose Of Goods

18.1 In the event that:

- (a) the Seller retains possession or control of the Goods; and
- (b) payment of the Price is due to the Seller; and
- (c) the Seller has made demand in writing of the Customer for payment of the Price in terms of this contract; and
- (d) the Seller has not received the Price of the Goods,

then, whether the title in the Goods has passed to the Customer or has remained with the Seller, the Seller may dispose of the Goods and may claim from the Customer the loss to the Seller on such disposal.

19. Consumer Guarantees Act 1993

19.1 This agreement is subject to the provisions of the Consumer Guarantees Act 1993 in all cases except where the Customer is contracting within the terms of a trade/business (which cases are specifically excluded).

20. General

20.1 If any provision of these terms and conditions shall be invalid, void or illegal or unenforceable the validity existence, legality and enforceability of the remaining provisions shall not be affected, prejudiced or impaired.

20.2 All Goods and Services supplied by the Seller are supplied subject to the laws of New Zealand and the Seller takes no responsibility for changes in the law that affect the Goods or Services supplied.

20.3 The Seller shall be under no liability whatsoever to the Customer for any indirect loss and/or expense (including loss of profit) suffered by the Customer arising out of a breach by the Seller of these terms and conditions.

20.4 In the event of any breach of this contract by the Seller the remedies of the Customer shall be limited to damages. Under no circumstances shall the liability of the Seller exceed the Price of the Goods.

20.5 Neither party shall be liable for any default due to any act of God, terrorism, war, strike, lock out, industrial action, flood, storm or other event beyond the reasonable control of either party.

20.6 The Customer shall not set off against the Price amounts due from the Seller.

20.7 The Seller may license or sub-contract all or any part of its rights and obligations without the Customer's consent.

20.8 The Seller reserves the right to review these terms and conditions at any time and from time to time. If, following any such review, there is to be any change in such terms and conditions, that change will take effect from the date on which the Seller notifies the Customer of such change.

©2024

All Rights Reserved. All information in this catalogue is correct at time of publishing and subject to change.

QCD Limited

—

—

—

AKL

CHCH

qcd.co.nz

AKL

CHCH

PO Box 112225

373D Neilson Street

24 Disraeli Street

Penrose

Penrose

Addington

Auckland 1061

Auckland 1061

Christchurch 8024

P. +64 9 815 7500

P. +64 3 384 9329

qcd.co.nz