QCD

Specialised
Fabric
Solutions

PRODUCT CATALOGUE 2026

—

TEXTILES

QCD LIMITED

Specialised Fabric Solutions

Nature is demanding, so we demand a lot from our textiles.

Whether providing much-needed shade for a sun-baked terrace or sailing a yacht around the world, you need to know your fabric systems are up to the challenge. QCD has been supplying customers in the commercial, residential and marine markets for over 60 years. With a huge range of specialised textiles and hardware sourced from around the world, our team can help you specify and deliver a solution that works.

The wind, UV rays and ocean spray can do their worst. Relax, because you're covered.

TO PLACE AN ORDER OR FOR
PRODUCT ENQUIRIES

CONTACT US

North Island

Office & Warehouse

4a Bill Stevenson Drive, Drury South Crossing,

Auckland, 2579

New Zealand

09 815 7500

sales@qcd.co.nz

South Island

Office & Warehouse

24 Disraeli Street, Addington

Christchurch, 8024

New Zealand

03 384 9329

chchsales@qcd.co.nz

qcd.co.nz



TEXTILES

CONTENTS

SHADE	4
MARINE	22
MESH	28
POLYFABRICS	29
AUTOMOTIVE	43
WOOL	46
FOAM	47

SHADEVIEW MESH





SHADEVIEW URBAN


2X2 CONSTRUCTION

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SV300	300	25	570

Shadeview Urban is a multifunctional fabric for external shading ideally suited to straight drop alfresco blinds and awnings, with a 3 metre width allowing for a join free blind. It is a great alternative for those considering PVC alfresco blinds as it offers effective protection from the elements all year around. Shadeview Urban is also highly suited to those harsh west facing windows that need the extra protection that only a 5% openness fabric can deliver.

PRODUCT FEATURES


- 5% Openness
- 2 x 2 construction
- Reduces up to 95% of the sun's harmful rays
- Optimal ventilation and air flow
- High quality, UV resistant construction
- Reduces cooling costs
- Mildew resistant
- Fire retardant additives
- Provides shade and privacy
- Weldable
- Controls reflected glare
- 10 year warranty for screens (vertical application)
- 5 year warranty for shade sail (horizontal application)
- Can be railroaded



ICEBERG
SV300ICEBERG



PUTTY
SV300PUTTY




QUARTZ
SV300QUARTZ




PEWTER
SV300PEWTER



MUSHROOM
SV300MUSHROOM



ALMOND
SV300ALMOND




SUEDE
SV300SUEDE




HAVANA
SV300HAVANA




BRACKEN
SV300BRACKEN



MARBLE
SV300MARBLE



STONE
SV300STONE



FLINT
SV300FLINT




STATIC
SV300STATIC




GRAPHITE
SV300GRAPHITE



CARBON
SV300CARBON



GALAXY
SV300GALAXY



2X2 CONSTRUCTION



SHADEVIEW EXTREME

BROKEN TWILL CONSTRUCTION

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SVX320	320	20	560

As the name suggests this outdoor fabric has gone to the extreme. This unique fabric has been developed to provide you with clarity and protection from the elements. Black mesh is easier to see through, however black doesn't complement all exterior colour ranges. Shadeview Extreme is a fabric that has been designed with this in mind with one side black for clarity and view and the other side in a range of fashion colours to suit your home. Shadeview Extreme can combat the environments harsh elements through its unique broken twill weave, giving it greater attributes than any other mesh on the market, while still providing quality and style.

PRODUCT FEATURES


- 3% Openness
- Broken twill construction
- Reduces up to 97% of the sun's harmful rays
- Minimal ventilation and air flow
- High quality, UV resistant construction
- Dual colour
- Fire retardant additives
- Mildew resistant
- Weldable
- Controls reflected glare
- 10-year warranty for screens (vertical application)
- 5-year warranty for shade sail (horizontal application)
- Cannot be railroaded



PEBBLE STONE
SVX320PEBBLESTONE



ALPACA
SVX320ALPACA




EMERALD
SVX320EMERALD




SAPPHIRE
SVX320SAPPHIRE



ASH
SVX320ASH



BLACK
SVX320BLACK



BROKEN TWILL CONSTRUCTION **FRONT | BACK**




SHADEVIEW CLASSIC


1X1 CONSTRUCTION

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SV305	305	25	550


Shadeview Classic has a unique woven design that will shade your home, office or entertaining area whilst retaining a high level of visibility. Shadeview Classic can be railroaded for the ultimate blind or awning with no vertical joins. Enjoy letting the light and cool air into your home whilst filtering out up to 90% of the sun's damaging ultra violet rays. Shadeview Classic is ideally suited for external awnings, alfresco blinds, shade sails and marine windscreen covers.



SNOWCAP
SV305SNOWCAP




DESERT
SV305DESERT




BEIGE
SV305BEIGE



DUSK
SV305DUSK



SLATE
SV305SLATE




CHOCOLATE
SV305CHOC



BLACK
SV305BLACK

PRODUCT FEATURES

- 10% Openness
- 1x1 Construction
- Reduces up to 90% of the sun's harmful rays
- Optimal ventilation and air flow
- High quality, UV resistant construction
- Mildew resistant
- Fire retardant additives
- Weldable
- Controls reflected glare
- Can be railroaded
- 10-year warranty for screens (vertical application)
- 5-year warranty for shade sail (horizontal application)



1X1 CONSTRUCTION



SHADEVIEW ONE


2X2 CONSTRUCTION

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SV300ONE	300	25	615


The 1% openness of Shadeview One ensures optimal shielding from the elements while preserving scenic vistas, making it perfect for alfresco blinds, awnings, or shading your entertainment area. Filter out up to 99% of harmful UV rays, creating a serene ambiance while enjoying superior sun protection. Built to last, Shadeview One's durable construction guarantees longevity and performance.



2 X 2 CONSTRUCTION




LIMESTONE
SV300ONELIMESTONE



BOULDER
SV300ONEBOULDER



GUNMETAL
SV300ONEGUNMETAL



COAL DUST
SV300ONECOALDUST



MIDNIGHT
SV300ONEMIDNIGHT

PRODUCT FEATURES

- 1% Openness
- 70% PVC, 30% Polyester
- Reduces up to 99% of the sun's harmful rays
- Optimal ventilation and air flow
- High quality, UV resistant construction
- Reduces cooling costs
- Mildew resistant
- Fire retardant additives
- Provides shade and privacy
- Weldable
- Controls reflected glare
- 10-year warranty for screens (vertical application)
- 5-year warranty for shade sail (horizontal application)
- Can be railroaded




JAPANESE EASISLIP™ PLUS



CLEAR
EASISLIP75



CLEAR FR
EASISLIP75FR



TINTED
EASISLIP75TINT

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - MM
EASISLIP	137	20 & 30	0.75

Easislip™ PLUS is a premium clear flexible PVC film manufactured in Japan to high quality standards. Known for its exceptional clarity, UV resistance, and ease of handling. It's ideal for both internal and external applications including marine, automotive, and outdoor enclosures.

PRODUCT FEATURES

- UV stabilised for outdoor durability
- Flexible, unsupported calendered PVC film
- Excellent optical clarity
- Cold crack resistance to –22°C
- Easy to unroll and handle
- Suitable for boat curtains, clear awnings, satchels & mailbags, courier van blinds, soft top windows, camper trailer windows, clear drop blinds

ROLLCLEAR 240CM WIDE

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
ROLLCLEAR240SW	240	20 + 5M FREE	960

Available in New Zealand for the first time, Rollclear PVC sets a new standard for clear weather protection. This premium UV-stabilised PVC provides outstanding visibility while shielding outdoor spaces from the elements, making it ideal for hospitality enclosures, café blinds, patios, and marine applications. Manufactured for exceptional optical clarity and a superior non-stick finish, Rollclear delivers a clean, professional appearance with long-lasting performance. Backed by a 2-year UV warranty, it offers the durability and reliability demanded by trade professionals.



CLEAR
ROLLCLEAR240SW

PRODUCT FEATURES

- UV stabilised
- High light transmittance
- Non-stick clear finish
- 2-year UV warranty

SOLTIS BY SERGE FERRARI



SOLTIS HORIZON 86


SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF86	267	40	380

Soltis Horizon 86 provides excellent outward visual contact and promotes natural light intake. This is beneficial and assists energy savings by reducing artificial lighting. It can be used for external & skylight blinds, Conservatories as well as Shadesails, and has excellent characteristics in tension screens.

PRODUCT FEATURES


- 10-year warranty for screens (vertical application)
- 5-year warranty for shade sail (horizontal application)
- 14% openness factor
- Mildew resistant
- Fire retardant
- Up to 30% solar transmission
- Weldable
- Good balance for the lowest exposed facades of the building
- Lightweight, durable and 100% recyclable
- High dimensional stability due to Précontraint® technology




CHAMPAGNE




WHITE
SF86–2044




CHAMPAGNE
SF86–2175




SANDY BEIGE
SF86–2135




BOULDER
SF86–2171




ALU/WHITE
SF86–2051



ALU/OAT
SF86–2046




ALU/ALU
SF86–2048



BEATEN METAL
SF86–2045



CONCRETE
SF86–2167




PEPPER
SF86–2012



ANTHRACITE
SF86–2047



DEEP BLACK
SF86–51176



BRONZE
SF86–2043

INDENT OR AIRFREIGHT


SNOW WHITE
SF86–50690




BUTTERCUP
SF86–2166




ORANGE
SF86–8204




BRICK
SF86–51180




RED
SF86–8255



DEEP RED
SF86–51181




ANISEED
SF86–2157



MOSS GREEN
SF86–2158




DEEP BLUE
SF86–51182



ANTHRACITE/ALU
SF86–2068

Exclusive Précontraint technology

This unique, world-patented technology involves maintaining the composite in bi-axial tension throughout the manufacturing cycle. It ensures our materials' exceptional performance characteristics, which ensure they exceed market standards in terms of long-term stability, strength, coating thickness and flatness.



1	High-tenacity polyester micro-yarn reinforcing mesh	Higher resistance to elongation and tearing
2	Coating under bi-axial, warp and weft tension	No deformation during installation and usage
3	Coating thickness covering top of yarns and dirt repellent surface treatment	Enhanced aesthetic and structural durability
4	Extremely flat and thin	Easy-to-clean smooth surface ensuring compactness and easy rolling



SOLTIS LOUNGE 96


SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF96	267	40	400

Soltis Lounge 96 is a high-performance screen fabric designed for terrace applications, providing enhanced outdoor comfort in retractable arm awnings. Suitable for blinds, pergolas, and shade sails.

PRODUCT FEATURES

- 10-year warranty for screens (vertical application)
- 5-year warranty for shade sails (horizontal application)
- Up to 21% solar transmission
- 4% Openness factor
- All colours available in wide width Lightweight, durable and 100% recyclable
- Easy to clean
- Mildew resistant
- Fire retardant
- Weldable



TAUPE

WHITE
SF96–8102



SHEA
SF96–50843


OFF WHITE
SF96–1103



VANILLA
SF96–8861




SANDY BEIGE
SF96–2135



CLOUD
SF96–50272




BOULDER
SF96–2171



TAUPE
SF96–50850



BRONZE
SF96–2043




PLATINUM
SF96–50844



ANTHRACITE
SF96–2047




BLACK
SF96–8450



CITRUS
SF96–50846




LIME
SF96–50848



JUNGLE
SF96–50849



AUREOLIN
SF96–50845



CARAMEL
SF96–50261



RED
SF96–8255



ACAPULCO
SF96–50847



ATLANTIS
SF96–50851



MIDNIGHT BLUE
SF96–2161



SOLTIS PROOF W96

SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SFW96	267	35	620

A smart material that protects from heat and rain while preserving natural light, ideal for pergolas, shade sails, projection blinds and fixed awnings.

WHITE
SFW96-8102

OFF WHITE
SFW96–1103



VANILLA
SFW96–8861




CLOUD
SFW96–2171



ANTHRACITE
SFW96–2047

PRODUCT FEATURES

- 10-year warranty for screens (vertical application)
- 5-year warranty for shade sails (horizontal application)
- Up to 17% solar transmission
- Transparent textured aspect
- Combines impermeability and luminosity
- Heat and weather protection
- Easy maintenance
- High colourfastness to UV radiations
- Lightweight, durable and 100% recyclable
- High dimensional stability due to Precontraint® technology
- Mildew resistant
- Fire retardant
- Weldable



CLOUD



SOLTIS PROOF 502V3

SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF502V3	180	40	590

A highly resistant membrane designed to last over the years. It protects against bad weather and UV. This waterproof fabric, available in 35 colours, affords creative freedom. Applications include shade sails, fixed awnings, pergolas, projection blinds. Made from high tenacity 100% recycled polyester yarns.

PRODUCT FEATURES

- Fire Rated A51530.2
- High dimensional stability due to Precontraint® technology
- Satin finish
- 100% Polyester recycled yarns
- Reinforced dirt resistance and easy cleanability
- Heat and weather protection
- Stronger than V2
- 10-year warranty



MARINE
SF502V3-1125C



Shade sails | Fixed Pergolas | Umbrellas | Fixed & Drop Down Awnings | Retractable Pergolas



Exclusive Précontraint® Technology



Stronger than V2



Waterproof



Eco-conscious and sustainable



Updated colour palette



Glare control



100% recycled base fabric



10-Year Warranty





WHITE
SF502V3-51969C

PEARL WHITE
SF502V3-51970C

BOULDER
SF502V3-2171C

ALUMINIUM
SF502V3-2168C

CONCRETE
SF502V3-2167C

ANTHRACITE
SF502V3-1354C




ENAMEL WHITE
SF502V3-51971C

CHAMPAGNE
SF502V3-51979C

HEMP
SF502V3-50265C

TITANIUM
SF502V3-51972C

BLACK
SF502V3-8450C

SAND
SF502V3-8861C

SANDY BEIGE
SF502V3-2135C

LEMON
SF502V3-50674C

BUTTERCUP
SF502V3-2166C

PEACH
SF502V3-51974C

RASPBERRY
SF502V3-2150C

PEPPER
SF502V3-2012C

ANTELOPE
SF502V3-51973C

ORANGE
SF502V3-8204C

RUST
SF502V3-50283C

POPPY
SF502V3-8255C

BURGUNDY
SF502V3-8284C





REVIVAL BLUE
SF502V3-51946C

VICTORIA BLUE
SF502V3-50677C

ALPINE BLUE
SF502V3-51975C

LAGOON
SF502V3-2160C

TIN GREEN
SF502V3-51977C

SPRING GREEN
SF502V3-51332C

MIDNIGHT BLUE
SF502V3-2161C

MARINE
SF502V3-1125C

PORCELAIN GREEN
SF502V3-50670C

PEACOCK BLUE
SF502V3-51976C

GARDEN GREEN
SF502V3-51978C

TENNIS GREEN
SF502V3-8056C



COMMERCIAL HEAVY 430

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM	
GALECOMHV	300	40	430	
GALECOMHV-FR	300	40	430	**INDENT**

Commercial Heavy 430 architectural shade fabric was engineered specifically to withstand extreme weather conditions on large scale tension structures. It features superior biaxial strength and load bearing performance for optimum shape and tensioning endurance. Made from 100% round monofilament and designed using a patented intertwining knit pattern.

PRODUCT FEATURES

- 100% Lead and Phthalate free for a healthier environment
- Full 15-year warranty against UV degradation on fabric
- UV block range from 85.9% to 87.9%
- Engineered in Australia to meet harsh weather extremes 100% round monofilament yarn for optimal structural stability
- 100% recyclable
- Available in FR on Indent
- Patented intertwining knit pattern resulting in superior biaxial performance
- Uniform balance across the warp and weft for easy fabrication and minimal maintenance
- Stentered (heat set) for prevention of shrinking and ease of fabrication
- Greenguard® and Oeko-Tex® certified




WHITE
GALECOMHV-WHT




NATURAL
GALECOMHV-NAT




YELLOW
GALECOMHV-YEL




ORANGE
GALECOMHV-ORA




CHERRY RED
GALECOMHV-RED




DEEP OCHRE
GALECOMHV-DOCHRE




PURPLE
GALECOMHV-RPUR




AQUATIC BLUE
GALECOMHV-AQBLU



NAVY BLUE
GALECOMHV-NBLU




BRIGHT GREEN
GALECOMHV-BG




EMERALD
GALECOMHV-EME



BRUNSWICK GREEN
GALECOMHV-BGRN



STEEL GREY
GALECOMHV-STGRY



CHARCOAL
GALECOMHV-CHAR



BLACK
GALECOMHV-BLK



DESERT SAND
GALECOMHV-DSAN



COMMERCIAL 95 340


GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALECOM95	300	40	340

Commercial 95® is a high quality knitted shade fabric designed for tension structures, awnings and shade covers specifically for commercial architectural applications: supplied in bulk rolls.

PRODUCT FEATURES

- 100% virgin grade polymers ensuring fabric consistency and performance
- UV block range from 91.1% to 95.5%
- 15-year warranty against UV degradation on fabric
- HDPE fabric that won't rot or absorb moisture
- Available in FR on Indent
- 100% recyclable
- 100% Lead and Phthalate free
- Stentered (heat-set) to reduce shrinkage
- Greenguard® and Oeko-Tex® certified



RIVERGUM GREEN

NATURAL
GALECOM95-NAT

DESERT SAND
GALECOM95-DSAN

DRIFTWOOD
GALECOM95-DRFWD

YELLOW
GALECOM95-YEL

ORANGE
GALECOM95-ORA

CHERRY RED
GALECOM95-CHERED

DEEP OCHRE
GALECOM95-DOCHRE

BLUEBIRD
GALECOM95-BBIRD

AQUAMARINE
GALECOM95-AQMAR

SKY BLUE
GALECOM95-SKBLU

TURQUOISE
GALECOM95-TQSE

AQUATIC BLUE
GALECOM95-AQBLU

NAVY BLUE
GALECOM95-NBLU

BRUNSWICK GREEN
GALECOM95-BGRN

RIVERGUM GREEN
GALECOM95-RGUM

BRIGHT GREEN
GALECOM95-BG

STONE
GALECOM95-STNE

STEEL GREY
GALECOM95-STGRY

GUN METAL
GALECOM95-GMET

CHARCOAL
GALECOM95-CHAR

BLACK
GALECOM95-BLK

OEKO TEX® STANDARD 100 12.HUS.15194 HOHENSTEIN HTTI

2 HDPE

100% LEAD & PHTHALATE FREE

GREENGUARD GOLD

PFAS FREE

DOCRIL AWNING BY CITEL



DOCRIL AWNING


CITEL

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
DOCRIL120	120	60	295

Designed and manufactured in Spain and known for its superb quality with an extensive colour palette. Solution dyeing, with no mixing or dyeing during the finishing process adds pigments to the molecule of the fibre ensuring long lasting, vibrant colour.

PRODUCT FEATURES

- 100% solution dyed acrylic fibre
- 68 vibrant colours
- 10-year warranty
- Mildew resistant
- Rot resistant
- Oil repellant




DOCRIL120-1000



DOCRIL120-001



DOCRIL120-061


DOCRIL120-080



DOCRIL120-002


DOCRIL120-037



DOCRIL120-079


DOCRIL120-591



DOCRIL120-01257



DOCRIL120-106



DOCRIL120-592



DOCRIL120-041


DOCRIL120-01255



DOCRIL120-067



DOCRIL120-675


DOCRIL120-1000



DOCRIL120-676



DOCRIL120-494


DOCRIL120-113



DOCRIL120-198



DOCRIL120-098


DOCRIL120-677


DOCRIL120-114



DOCRIL120-680


DOCRIL120-003



DOCRIL120-036


DOCRIL120-035



DOCRIL120-683


DOCRIL120-074


DOCRIL120-060


DOCRIL120-107


DOCRIL120-145



DOCRIL120-111



DOCRIL120-006


DOCRIL120-686



DOCRIL120-072


DOCRIL120-064


DOCRIL120-328


DOCRIL120-492


DOCRIL120-103


DOCRIL120-007

DOCRIL120-063

DOCRIL120-077

DOCRIL120-084



DOCRIL STRIPES


DOCRIL120S-011


DOCRIL120S-012


DOCRIL120S-014



DOCRIL120S-017


DOCRIL120S-018


DOCRIL120S-019


DOCRIL120S-056



DOCRIL120S-140


DOCRIL120S-165


DOCRIL120S-172


DOCRIL120S-228


DOCRIL120S-231


DOCRIL120S-234


DOCRIL120S-331


DOCRIL120S-361


DOCRIL120S-362



DOCRIL120S-372



DOCRIL120S-432



DOCRIL120S-515


DOCRIL120S-620


DOCRIL120S-630


DOCRIL120S-645


DOCRIL120S-661


DOCRIL120S-663


DOCRIL120S-01267







DOCRIL NAUTICA MARINE ACRYLIC CANVAS

CITEL

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
DOCRIL60N	152.4	60	315

Docril Nautica is distinguished by its waterproofness, which makes this fabric the best option for sailboats and sailing lovers who need a higher water column to avoid leaks. It has excellent stability and great protection against UV rays (UPF50+).

PRODUCT FEATURES

- 100% water resistant
- PU coated back
- Oil repellant
- 5-year warranty
- Mildew resistant
- Rot resistant
- High water column



NATURAL
DOCRIL60N-061



LIGHT GREY
DOCRIL60N-041



GREY
DOCRIL60N-067




TOFFEE
DOCRIL60N-086



BURGUNDY
DOCRIL60N-060



PURE BLACK
DOCRIL60N-680



SAPPHIRE
DOCRIL60N-084



NAVY
DOCRIL60N-077



PACIFIC BLUE
DOCRIL60N-682



HERITAGE GREEN
DOCRIL60N-072

DOCRIL MARINE ACRYLIC CANVAS

CITEL


CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
DOCRIL60	152.4	60	295
DOCRIL200	200	60	295
DOCRIL250	250	50	295

Docril Marine is made in Spain by Citel who control the entire manufacturing process from procuring of the acrylic solution dyed fibre, to the spinning and finishing process, producing one of best acrylic canvasses available today. TEFLON® is used in the finishing process to increase wear resistance of the fabric. It also makes the fabric more resistant to soiling from atmospheric pollutants and general dirt particles whilst maintaining air permeability.


PRODUCT FEATURES

- Water repellent
- Mildew resistant
- 5-year warranty
- Oil repellant

DOCRIL & DOCRIL MARINE



DOCRIL NAUTICA MARINE



DOCRIL MARINE 60”

WHITE
DOCRIL60-681



NATURAL
DOCRIL60-061


TOFFEE
DOCRIL60-086


LIGHT GREY
DOCRIL60-041


GREY
DOCRIL60-067


BURGUNDY
DOCRIL60-060


SAPPHIRE
DOCRIL60-084


NAVY
DOCRIL60-077


PACIFIC BLUE
DOCRIL60-682


HERITAGE GREEN
DOCRIL60-072



PURE BLACK
DOCRIL60-680

DOCRIL MARINE 200CM


GREY
DOCRIL200-067


CHARCOAL
DOCRIL200-098


PURE BLACK
DOCRIL200-680


SAPPHIRE
DOCRIL200-084


DOCRIL MARINE 250CM


GREY
DOCRIL250-067


CHARCOAL
DOCRIL250-098


PURE BLACK
DOCRIL250-680


NAVY
DOCRIL250-077





MARINER POLYESTER PLUS

NOLAN


CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
MP314	203	40	314
MPS390	152	40	390

Mariner Polyester Plus is a heavy-duty marine fabric designed for easy fabrication and a premium finish. Its advanced ATY construction lays flat, prevents puckering, and handles complex shapes effortlessly, reducing the need for machine adjustments. A PU-coated Soft Back Plus option adds a protective, non-abrasive backing for delicate surfaces. With PFAS-free coating and high durability, it delivers a premium finish.

PRODUCT FEATURES

- 90,000-rub abrasion resistance
- Lays flat, cuts cleanly, sews without puckering
- Protective backing: Non-abrasive Soft Back resists grit and protects surfaces
- 99% recyclable fibres
- Solution-dyed for strong UV and colour stability
- PFAS/PFC-free waterproof PU finish


PLUS



LIGHT GREY
MP314LG



NAVY
MP314NV



CHARCOAL GREY
MP314CH



BLACK
MP314BK

SOFT BACK PLUS



LIGHT GREY/WHITE
MPS390GW



CHARCOAL/WHITE
MPS390CW



BLACK/BLACK
MPS390BB



ULTRAMARINE VINYL

ULTRAMARINE

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
VUSTA	137	30	646
VUPEB	137	30	646


UltraMarine is one of the highest quality marine grade vinyls available. UltraMarine is manufactured to meet the highest standards in Marine, Automotive and Commercial upholstery. 1.1mm thick and available in two different emboss styles which can be used individually or together to create a unique style for your application.

PRODUCT FEATURES

- Indoor & outdoor use
- UV treatment
- Anti mildew
- Fire rated additives
- Marine use
- 2-year warranty



ULTRAMARINE SMOOTH



ULTRAMARINE PEBBLE

ULTRAMARINE SMOOTH

POLAR
VUSTAPOL



QUICKSILVER
VUSTAQUICKSILVER

CREAM
VUSTACREAM



BEACH BEIGE
VUSTABEACH




SANDSTONE
VUSTASAND



TAUPE
VUSTATAUPE




YELLOWTAIL
VUSTAYELLOWTAIL



RED SNAPPER
VUSTARS




PORT BURGUNDY
VUSTAPORTB




STINGRAY
VUSTASG




BLUEBOTTLE
VUSTABB



NAVY SEAL
VUSTANS



DARK CHARCOAL
VUSTADCHA



BLACKTIP
VUSTABT

ULTRAMARINE PEBBLE

POLAR
VUPEBPOL


CREAM
VUPEBCRE




SANDSTONE
VUPEBSANDSTONE



BAHAMA TAN
VUPEBBAHAMATAN



CHOCOLATE
VUPEBCHO




NAVY SEAL
VUPEBNAV




BLUEBOTTLE
VUPEBBLU



GREY NURSE
VUPEBGREYNURSE



DARK CHARCOAL
VUPEBDCHA



BLACKTIP
VUPEBBT



PROTECT MESH 392


SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF392S2	180	50	820


Protect 392 S2 is a very open (27%) fire retardant mesh with excellent weight/strength ratio enabling good transmission of light and ventilation. Very versatile material - use to block sun or wind, or for partitions or doors.

PRODUCT FEATURES

- Long lifespan and easy cleanability
- High weight and mechanical strength
- Fire certification M2/B1
- 10-year warranty



BLACK



WHITE
SF392S2-100S



BLACK
SF392S2-107S

PROTECT MESH 492


SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF492S2	180	50	1050

Protect 492 S2 is an ultra-resistant, fireproof grid with a large opening mesh (opening factor 31%), ideal for catamaran trampolines, trampoline parks and sporting applications.

PRODUCT FEATURES

- Excellent resistance to sea and mountain environments
- High weight, high opening factor and good mechanical resistance
- Fire resistant M2/ B1 classification
- 10-year warranty



WHITE
SF492S2-100S2



FLEXLIGHT PERFORM 502S2 & 702S2


SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF502S2	250	50	590
SF702S2	267	50	750

TRANSLUCENT WHITE
SF502-8604S2

TRANSLUCENT WHITE
SF702-8604S2

Bright white membranes that are exceptionally easy to clean, preserving a refined aesthetic with long-term durability. As Type 0/1 architectural fabrics, they offer an optimal balance of weight and strength, making them ideal for halls, clear spans, high-end structures, and air domes.



PRODUCT FEATURES

- U.V. resistance
- Optimum weight/strength ratio
- Serge Ferrari Précontraint technology
- Exceptional luminosity
- Anti-capillarity treatment
- S2 varnish: exceptional cleanability
- 10-year warranty for 502S2
- 15-year warranty for 702S2



FLEXLIGHT ADVANCED 902S2

SERGE FERRARI


CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF902S2	267	50	950

A premium bright white membrane designed for demanding architectural applications. As a Type II fabric, it delivers enhanced mechanical performance and longevity, with excellent cleanability and colour consistency, ideal for complex forms, covered walkways, and large-scale tensile structures.

TRANSLUCENT WHITE
SF902-8636

PRODUCT FEATURES

- U.V. resistance
- High mechanical strength
- Serge Ferrari Précontraint technology
- Exceptional luminosity
- Anti-capillarity treatment
- S2 varnish: exceptional cleanability
- 15-year warranty
- 20-year warranty on application







FLEXLIGHT CLASSIC 402 & 602

SERGE FERRARI

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
SF402	267	50	490
SF602	267	50	620

Flexlight Classic 402 and 602 are fireproof membranes that provide protection from all weather conditions, water and UV. They have excellent longevity and weldability along with being lightweight. Both transmit a comfortable level of natural light and are easy to clean for a longer "like-new" lifespan. Suitable for use in Clear span and aluminium structures, frame tents, pole tents and inflatable structures.

PRODUCT FEATURES

- Easy to weld
- Very good mechanical resistance
- High transparency
- High dimensional stability due to Précontraint® technology
- Optimum weight/strength ratio

FLEXLIGHT CLASSIC 402

WHITE
SF402-8104

FLEXLIGHT CLASSIC 602

WHITE
SF602-8100



SOLARWEAVE 185

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM	
GALESOL400	205	50	185	
GALESOL400	205	100 — JUMBO	185	**INDENT**

Recognised as the best in its category, Solarweave® 185 has proven its performance working in Australian conditions for more than 30 years. Its polyethylene-based, semi-transparent fabric is well suited for horticultural and hothouse applications.

Solarweave® 185 is made from premium UV-stabilised materials and coated in Gale Pacific's factory in Australia using our proprietary coating process. Excellent toughness and strength, yet is light enough for easily handling.

PRODUCT FEATURES

- "Best in Show" light transmission provides greater yields
- Dirt repellent PE coating for good appearance and reduced maintenance
- Excellent durability and strength versus weight for ease of handling
- Good resistance to accidental punctures, minimises repair and replacement costs
- Improved weldability and very good weld strength compared to similar products
- Good resistance to chemicals allows versatility of use in number of greenhouse environments
- Full 5-year UV degradation warranty



NATURAL



WHITE
GALESOL400-WHT

NATURAL
GALESOL400-NAT



PREMIUM HORTSHADE

GALE PACIFIC


CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALEHORTLGT2	200	50	160
GALEHORTLGT4	400	50	160
GALEHORTMED2	200	50	220
GALEHORTMED4	400	50	220
GALEHORTHVY2	200	50	276
GALEHORTHVY4	400	50	276

GALE Pacific's Premium Hortshade® is a high-quality, knitted shadecloth that provides optimum performance in any climate. Available in a range of weights and colours and designed for use in horticultural, agricultural and commercial applications to protect animals/livestock, assets and crops.

Made from UV-stabilised HDPE, it is designed to resist sun damage, water absorption, rotting and will not tear or fray if cut. This recyclable fabric provides weather and pest protection, can enhance yields, improve crop aesthetics and provide an overall more efficient environment for plant growth.


PRODUCT FEATURES

- 52%–77% UV block provides optimal conditions for plant growth or for protection of assets and livestock
- Strong HDPE fabric won't rot or absorb moisture and withstands harsh weather conditions
- Available in several grades, widths and colours
- 100% lead and phthalate free
- Greenguard® and Oeko-Tex® certified
- Engineered in Australia
- 100% recyclable
- 10-year UV degradation warranty on fabric




HEAVY – BLACK & FOREST GREEN


PREMIUM HORTSHADE LIGHT



WHITE
GALEHORTLGT2-WHT
GALEHORTLGT4-WHT



FOREST GREEN
GALEHORTLGT2-FGRN
GALEHORTLGT4-FGRN




BLACK
GALEHORTLGT4-BLK

PREMIUM HORTSHADE MEDIUM



WHITE
GALEHORTMED2-WHT
GALEHORTMED4-WHT



FOREST GREEN
GALEHORTMED2-FGRN
GALEHORTMED4-FGRN



BLACK
GALEHORTMED2-BLK
GALEHORTMED4-BLK

PREMIUM HORTSHADE HEAVY



FOREST GREEN
GALEHORTHVY2-FGRN
GALEHORTHVY4-FGRN



BLACK
GALEHORTHVY2-BLK
GALEHORTHVY4-BLK



PROTEX TRUCK

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
PROTEX320	320	30	900

Protex Side Curtain is an extra heavy-duty reinforced PVC fabric. It features a high-tenacity Panama weave base cloth to ensure exceptional tear and tensile strength. The PVC coating is protected with an acrylic lacquer on both surfaces to enhance performance and longevity. The more rigid composition of the fabric makes it ideal for truck side curtains and projects that require a fabric to hold its shape for longer. Available in 30m and 60m roll lengths.

PRODUCT FEATURES

- PVC lacquered both sides
- All colours available in 320cm
- Available in 30m rolls, larger rolls available on request

WHITE
PROTEX320-WHITE

GREY
PROTEX320-GREY

BLACK
PROTEX320-BLACK

RED
PROTEX320-RED

ORANGE
PROTEX320-ORANGE

YELLOW
PROTEX320-YELLOW

GREEN
PROTEX320-GREEN

BLUE
PROTEX320-BLUE

NAVY
PROTEX320-NAVY





GP1000

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GP1000	250	30	630

GP1000 is a premium quality 630gsm plain weave, spread coated PVC with gloss acrylic lacquer developed by QCD using the highest quality resins and UV stabilisers.

PRODUCT FEATURES

- 1000D polyester 7x7cm
- Gloss acrylic lacquered both sides
- Custom length roll available on Indent
- UV stabilised scrim and coating
- FR AS1530.1
- 4-year warranty



BLUE

WHITE
GP1000WT

LIGHT GREY
GP1000GY

DARK GREY
GP1000DG

FOREST GREEN
GP1000FG

BLUE
GP1000BU

BLACK
GP1000BK

RS1000


QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
RS1000-2.5	250	30	670
RS1000-3.2	320	30	670

RS1000 is a premium quality 670gsm ripstop reinforced PVC. Spread coated with gloss acrylic lacquer developed by QCD, using the highest quality resins, UV stabilisers and fire retardant inhibitors.

PRODUCT FEATURES

- 1000DTex polyester 23x23 inch
- Gloss acrylic lacquered both sides
- FR AS1530.1 in some 2.5 width only
- UV stabilised scrim and coating
- 4-year warranty
- Most colours also available in 320cm width



BLUE



WHITE
RS1000WHITE-2.5
RS1000WHITE-3.2NFR

DARK GREY
RS1000DARKGREY-2.5
RS1000DARKGREY-3.2NFR

FOREST GREEN
RS1000FOREST-2.5
RS1000FOREST-3.2NFR

RED
RS1000RED-2.5
RS1000RED-3.2NFR

BLUE
RS1000BLUE-2.5
RS1000BLUE-3.2NFR

BLACK
RS1000BLACK-2.5
RS1000BLACK-3.2NFR

BEIGE
RS1000BEIGE-2.5

YELLOW
RS1000YELLOW-2.5NFR

ORANGE
RS1000ORANGE-2.5NFR



VALMEX® BOAT

MEHLER

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
MVB7307/907-204	204	30	1050

VALMEX® Boat is a premium airtight PVC fabric designed for inflatable boats and marine applications. Trusted in New Zealand for over 30 years, it is renowned for its quality, durability, and performance.

Manufactured in Germany by Mehler TEXNOLOGIES, part of the Freudenberg Group, VALMEX® Boat 7307 is a 1050gsm fabric featuring advanced coating technology that delivers excellent flexibility, airtightness, and resistance to abrasion, UV exposure, and harsh weather conditions.

WHITE
MVB7307/907-204

PRODUCT FEATURES


- 1050gsm Marine-Grade PVC
- Flexible & Elastic
- UV & Weather Resistant
- Maintains flexibility without compromising strength, making fabrication easier and improving durability

VALMEX® TPU BOAT

MEHLER

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
MPBTPU4506/760-150	150	30	1050

POLYMAR® Boat 4503 is our premium heavy-duty inflatable boat fabric, designed for high-performance marine applications. Its advanced TPU/PVC coating delivers exceptional flexibility, durability, and airtightness, while providing outstanding resistance to UV exposure, hydrolysis, abrasion, oil, fuel, and harsh weather conditions. The result is a long-lasting, high-strength fabric trusted for demanding inflatable boat construction..



DARK GREY
MPBTPU4506/760-150

PRODUCT FEATURES

- High Airtightness - Designed for reliable long-term inflation performance
- Oil & Fuel Resistant - Ideal for commercial and recreational marine applications
- UV & Weather Resistant - Built to perform in challenging outdoor conditions worldwide.

TOUGHLITE PVC

NOLAN

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
PTL400	300	30	400

Lightweight yet exceptionally strong, ToughLite is a PVC-coated fabric engineered for applications where durability and weight savings are equally important. Constructed from a robust 1000D x 500D one-way ripstop base fabric, it offers excellent tear and abrasion resistance, making it ideal for general covers, fumigation covers, tarpaulins, tent floors, and sporting equipment. Finished with FR B2 treatment for added safety, ToughLite is available in White, Black, Charcoal, Grey, Yellow, Red, and Blue.



PRODUCT FEATURES

- Lightweight 400gsm construction
- High-strength ripstop polyester fabric with excellent tear resistance
- FR treated
- Mould & mildew resistant
- 2-year warranty

WHITE
PTL400WT

BLACK
PTL400BK

CHARCOAL
PTL400DG

GREY
PTL400GY

YELLOW
PTL400YE

RED
PTL400RD

BLUE
PTL400BU

MULTICOVER

PASKAL

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
MC1000	205	30	610

MultiCover 610 is our premium quality semi-coated 610gsm plain weave PVC with no acrylic lacquer, giving it a MATT finish. Designed for general purpose coverage & protection, Tarpaulins, Sporting covers, Gym Landing mats, punching bags, Tents, Camping, Caravan equipment, Banners & Blind Edging in mind. Only stocked in Light Grey and Black, other colours available on request.




PRODUCT FEATURES

- Heavy-duty 610gsm construction
- High-tensile woven polyester base fabric
- PVC bond with controlled fabric shrinkage
- Smooth matt finish

LIGHT GREY
MC1000GY

BLACK
MC1000BK



AQUACON 345

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALEAQUACON	205 – 250	JUMBO	345


Aquacon™ 345 is a premium polyethylene scrim reinforced coated fabric, specifically designed for floating cover and liner applications.

Lightweight, flexible and durable Aquacon™ 345 exhibits class leading welding characteristics, providing effective and efficient field welding performance, ideal for in-factory fabrication and deployment on-site.

The high strength woven HDPE scrim reinforcement and engineered UV-stabilised polyethylene coatings provide outstanding puncture and abrasion resistance to withstand the harshest of installation and environmental conditions.

PRODUCT FEATURES

- UV stabilised coatings
- Lightweight
- Waterproof
- Scrim reinforcing providing excellent puncture and abrasion resistance



ICE BLUE/BLACK
GALEAQUACON-BL/BLK

AQUAMARK 400 & 480

GALE PACIFIC


CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALEAQU400-BLK	205	1000	400
GALEAQU400-BLK-25	250	50 & 400	400
GALEAQU480-BLK	250	400	480

Aquamark® is an easy to install, lightweight, flexible and extremely tough fabric. It is water potable certified, UV-stabilised polypropylene liner fabric, certified to AS/NZS 4020 standards. Featuring excellent welding characteristics and high tear strength it is ideal for a wide range of water and effluent containment and storage applications.


PRODUCT FEATURES

- Large liner sections can be prefabricated for speedy installation
- No plasticisers, eliminating leaching
- AS4020 approved for contact with potable water. Ideal for grey, black and potable water storage
- Polypropylene coating resists flex cracking and chemicals
- 100% recyclable material. No chlorine or heavy metals
- High strength layered material with excellent dimensional stability






AQUAMARK 400



GLOSS BLACK
GALEAQU400-BLK

AQUAMARK 480



MATT BLACK
GALEAQU480-BLK

CANVACON

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM	
GALECAN5000E	205	50	260	
GALECAN5000E	205	JUMBO 1000	260	**INDENT**
GALECAN7000E	205	50	306	
GALECAN7000E	205	JUMBO 1000	306	**INDENT**
GALECAN9000E	320	50	410	


Canvacon® is a woven, polyethylene-based polyfabric designed for industrial and agricultural purposes. It provides excellent strength-to-weight performance, high abrasion and tear resistance, with excellent welding characteristics. Light weight polypropylene enables large liner sections to be prefabricated for speedy installation. Suitable for shelters covers, waterproof linings and membranes.

PRODUCT FEATURES

- UV-stabilised coating and UV-stabilised basecloth
- 3-year UV and delamination warranty
- Excellent coating adhesion for improved welding
- 100% recyclable
- Class leading flex and abrasion resistance
- Dirt repellent PE coating reduces maintenance processing and costs



WHITE
GALECAN5000E-WHT
GALECAN7000E-WHT
GALECAN9000E-WHT




WHITE/SILVER
GALECAN5000E-S/W
GALECAN7000E-S/W



BEIGE
GALECAN5000E-BEI



BLUE
GALECAN5000E-BLU
GALECAN7000E-BLU



ICE BLUE/BLUE
GALECAN5000E-ICEBLU



GREEN
GALECAN5000E-GRN
GALECAN7000E-GRN



LANDMARK 340

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALELAN340	205	50	340
GALELAN340-GRN	205	JUMBO	340
GALELAN340TS1	205	50	340
GALELAN340TS2	205	50	400

Landmark® 340 is a high quality Polypropylene based polyfabric designed for a wide range of heavy duty industrial and agricultural tarpaulins, covers, curtains and membranes. Available in a range of colours and supplied in bulk rolls. The environmental alternative to PVC.

White is also available in a Tearstop, which is either coated once (TS1C), or twice (TS2C) for a more solid white finish.

PRODUCT FEATURES

- Developed and coated in Australia
- Polypropylene coating with excellent UV durability, chemical and flex crack resistance
- Dirt repellent coating, assisting in-field welding and seam strength
- Tear stop option available, coated once or twice
- Does not require polymeric or liquid plasticiser, eliminating leaching
- Strong and Light
- 100% Lead and Phthalate free and recyclable
- Greenguard® and Oeko-Tex® certified

LANDMARK 340



WHITE
GALELAN340-WHT



SKY BLUE
GALELAN340-SKB



GREEN
GALELAN340-GRN



BLACK/WHITE
GALELAN340-BLK/WHT



SKY BLUE/WHITE
GALELAN340-SKB/WHT



BLACK/GREEN
GALELAN340-BLK/GRN

LANDMARK 340 TEARSTOP



WHITE
TS1C
GALELAN340TS1-WHT

WHITE
TS2C
GALELAN340TS2-WHT



WHITE **TEARSTOP WHITE**

MULTIBLOCK 425

GALE PACIFIC

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
GALEMLT400	205	50	425

Made from premium UV-stabilised materials, Multiblock® 425 is the market leader with proven performance in harsh weather conditions. The fabric is coated in Gale Pacific's Australian factory using their proprietary coating process. The specialised multi-layer coating and laminated fabric reduces light in situations where poultry and livestock is kept. Multiblock® 425 is supplied in bulk rolls.

PRODUCT FEATURES

- Black filament scrim with special laminate for effective 'black out'
- Multi-layer coating provides a high degree of water proofing
- Very good weld strength
- UV-stabilised base fabric, coating and film layers
- Long service life 100% recyclable





BLACK/WHITE
GALEMLT400-BLK/WHT




BLACK/GREEN
GALEMLT400-BLK/GRN

HAY COVER

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
PEHAY-OG	400	50	300

High quality Woven PE Cloth. 14x14 construction. This product is available in 4m wide making it the perfect product for Hay covers.



OLIVE GREEN
PEHAY-OG

PE NATURAL

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
PENAT	183	50	140

A lightweight semi-transparent PE fabric. PE natural can be used for patterning and wrapping. It is UV stabilised.


TRANSLUCENT
PENAT

PE SILVER BLUE

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
PESB	183	100	180

High-quality 14x14 woven PE cloth, originally used for surfboard bags in the 1990s and early 2000s. Ideal for patterning, packaging, and economical bag making.



SILVER BLUE
PESB

RAZORBACK

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
RZB08	200	40	380
RZB12	200	40	520
RZB12ST	204	50	465

Razorback is manufactured to ensure superior performance and conformity to all required specifications. The canvas is passed through a modern proofing process which locks in all critical properties of UV stabilisation, colour fastness, mould and mildew inhibitors. This ensures that Razorback canvas has the best water resistance available in the market today. The advanced controlled drying technique ensures that there is very little shrinkage making it the go to choice for professionals.

Razorback Soft Touch is a premium-grade canvas crafted for high-performance automotive applications, particularly custom ute seat covers. Evolving from the trusted Razorback base fabric, Soft Touch introduces a more refined texture and increased pliability, offering enhanced comfort and seamless conformity to complex contours, without compromising on durability or protective performance.

PRODUCT FEATURES

- 5-year warranty
- Breathable
- Lay flat
- Mould resistant
- UV resistant
- Rain resistant



8OZ & 12OZ PLAIN WEAVE

BLACK
RZB08BLACK
RZB12BLACK

DARK GREY
RZB08DKGREY
RZB12DKGREY

DARK OLIVE
RZB08DKOLIVE
RZB12DKOLIVE

LIGHT GREY
RZB08LTGREY
RZB12LTGREY

NAVY
RZB08NAVY
RZB12NAVY

SAND
RZB08SAND
RZB12SAND

12OZ SOFT TOUCH

BLACK
RZB12STBLACK

STEEL GREY
RZB12STSTGREY

LIGHT GREY
RZB12STLTGREY







QBASE

QCD

CODE	WIDTH - CM	ROLL LENGTH - M
QBASE	137	27.43

QBASE is a high-quality vinyl suitable for domestic upholstery and Auto Trimming solutions. It features a 100% Polyester Knit backing that can withstand up to 100,000 cycles abrasion testing, 100 hours UV resistance and -23°C cold crack. The Denali line is phthalate free, breathable and inkjet printable. It also passes several flammability requirements making it great for home, office, residential and general seating applications.

PRODUCT FEATURES

- UV stabilised
- High frequency weldable
- Inkjet printable
- 100% Polyester knit backing



LIGHT NEUTRAL
QBASE21



LIGHT GREY
QBASE04



LIGHT GRAPHITE
QBASE27



CLEAR GREY
QBASE05



MEDIUM DARK PEWTER
QBASE30



MEDIUM GREY
QBASE06



DARK GREY
QBASE07



MEDIUM PARCHMENT
QBASE35



MEDIUM BEIGE
QBASE25



DARK BROWN
QBASE15




GRAPHITE
QBASE31



BLACK
QBASE01



MIDNIGHT BLACK
QBASE22



DARK GREEN
QBASE20

QBOOT

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
QBOOT	137	45.72	275

QBOOT interior boot liner is an ideal solution when a lightweight and flexible product is required for a variety of end uses.

PRODUCT FEATURES

- Needle punched polyester




SILVER





SILVER
QBOOT02



DARK HEATHER
QBOOT04



BLACK
QBOOT01

QFLOOR

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
QFLOOR	203	22.86	500

QFLOOR is an ideal solution for vehicle flooring and lining to provide a soft and plush finish.

PRODUCT FEATURES

- Other colours available on request for roll amounts
- Needle punched polyester



MEDIUM GRAPHITE





MEDIUM NEUTRAL
QFLOOR1807



MEDIUM GRAPHITE
QFLOOR1805



MEDIUM GREY
QFLOOR1804



GRAPHITE
QFLOOR1802



BLACK
QFLOOR1801

QLINE

QCD

CODE	WIDTH - CM	ROLL LENGTH - M
QLINE	150	45.72

QLINE is a durable and hard wearing Auto Headliner fabric suitable for new and replacement headliner solutions. Imported from the USA.




QLINE DIAMOND




LIGHT NEUTRAL
QLINE2335



LIGHT GREY MEDIUM
QLINE6004



DOVE GREY
QLINE2325



OPAL GREY
QLINE2292



LIGHT GREY
QLINE2294



ANTHRACITE
QLINE1000



BLACK
QLINE2300

PRODUCT FEATURES

- Available in both flat knit and brushed finishes
- Polyester knitted fabric with 3mm foam backing



BRUSHED **DIAMOND**

QLINE BRUSHED



TOYOTA GREY
QLINE2291



LIGHT GRAPHITE
QLINE2173



BLUISH GREY
QLINE2206



LIGHT QUARTZ
QLINE1913



CLEAR GREY
QLINE2209



MEDIUM GRAPHITE
QLINE2076



GRAPHITE
QLINE2001



BLACK
QLINE1559

TONNEAU COVER

QCD

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
TONNEAUPVCBLK	210	30	680

The Riplock base cloth gives high levels of strength and durability while the embossed surface finish offers excellent scratch resistance ensuring a long lasting PVC with many general purpose applications including tonneau covers, trailer covers, caravan, camping & leisure bags & covers, heavy duty sports equipment & most domestic cover applications. Tonneau Cover uses only the highest quality virgin grade PVC resins, UV stabilisers and importantly made using non-toxic DiNP plasticisers which are REACH, RoHS and VCA certified.





BLACK
TONNEAUPVCBLK

PRODUCT FEATURES

- Meets ROHA, REACH & VCA requirements
- Matt embossed finish

WOOL CHECKS

CROSS LINKS INTERNATIONAL

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
RCC	183	23	511


PRODUCT FEATURES

- Made in India using recycled Australian wool hosiery
- Composition 80% wool / 20% other fibres
- Indent only





NAVY COLLAR CHECK
RCC45



COLLAR CHECK RED
RCC50



BLUE WHITE CHECK
RCC42

WOOL PLAIN KERSEY

CROSS LINKS INTERNATIONAL

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
RPC	183	25	511

PRODUCT FEATURES

- Composition 80% wool / 20% other fibres
- Indent only
- Using recycled Australian wool hosiery



ROYAL BLUE
RPC16



NAVY
RPC12



BOTTLE GREEN
RPC11



SCARLET
RPC09



BLACK
RPC10



BURGUNDY
RPC15

WOOL POLY LINING

TERRA LANA

CODE	WIDTH - CM	ROLL LENGTH - M	WEIGHT - GSM
RPW16G	160	30	500

PRODUCT FEATURES

- Made in New Zealand



FELTED POLY WOOL



GREY
RPW16G

ULTRALON FOAM

CODE	NOMINAL DENSITY KG/M³	HARDNESS IFD 40%N	COMFORT/INDENT FACTOR	RESILIENCE MIN. %	TYPICAL USES
S-SLAB H35-130 1900X2060X900	35	130±20	1.75	40	SEATING & MATTRESSES
S-SLAB H35-165 1900X2060X960	35	165±20	1.75	40	SEATING & MATTRESSES
S-SLAB H35-200 1900X2060X960	35	200±20	1.80	40	SEATING & MATTRESSES
S-SLAB H42-500 2100X1890X720	42	500±20	1.80	20	HIGH LOAD BEARING, AUTOMOTIVE USES & VERY FIRM BEDDING
S-SLAB N27-160 2150X2060X1030	27	160±20	1.75	40	SEATING, AUTOMOTIVE USES, BEDDING & MATTRESS OVERLAY
S-SLAB N31-190 2150X2060X1000	31	190±20	1.75	35	HIGH LOAD BEARING, THIN SEATING & ARM RESTS
S-SLAB U29-400 2240X2060X1000	29	400±20	1.85	20	CARPET UNDERLAY, HIGH LOAD BEARING UPHOLSTERY & PACKAGING

Ultralon Foam is used by the Marine, Construction, and Comfort sectors, complimenting the vast range of industries supplied by QCD - Marine Trimming, Motor Trimming, Caravan Builders, Boat Builders and Bedding Manufacturers. We are offering various specifications and grades so you can select the best option to suit many demanding, highly technical applications, resulting in foam that is perfectly tailored for each specific use.

The thicknesses below are held in stock, different thicknesses and profile bun cuts are available on request.




S-SLAB H35-130 1900X2060X900
25MM, 50MM, 75MM, 100MM, 125MM, 150MM



S-SLAB H35-165 1900X2060X960
25MM, 50MM, 75MM, 100MM, 125MM



S-SLAB H35-200 1900X2060X960
25MM, 50MM, 75MM, 100MM, 125MM



S-SLAB H42-500 2100X1890X720
25MM, 50MM



S-SLAB N27-160 1900X2060X1030
25MM, 50MM, 75MM, 100MM



S-SLAB N31-190 1900X2060X1000
25MM, 50MM, 75MM, 100MM



S-SLAB U29-400 2240X2060X1000
25MM, 50MM, 75MM, 100MM

QFOAM

QCD

CODE	WIDTH - CM	ROLL LENGTH - M
QFOAM1/8	150	25
QFOAM1/4	150	25
QFOAM3/8	150	25
QFOAM1/2	150	12.5

QFOAM is a Flexible Polyurethane foam that has been engineered to be easy to sew while still retaining its shape when used as a backing behind leather, vinyl and fabrics. The 100% Polyester Knit backing has superior stitch holding power and flexibility that allows it to follow contours without creasing, folding or tearing.



3MM
QFOAM1/8



6MM
QFOAM1/4



10MM
QFOAM3/8



12MM
QFOAM1/2

PRODUCT FEATURES

- Superior stitch hold & definition
- Ideal for high humidity environments
- Will not harbour fungus or bacteria

TERMS & CONDITIONS

1. Definitions
1.1 "Seller" shall mean QCD Limited and its successors and assigns.
1.2 "Customer" shall mean the Customer or any person acting on behalf of and with the authority of the Customer.
1.3 "Guarantor" means that person (or persons), or entity that agrees herein to be liable for the debts of the Customer on a principal debtor basis.
1.4 "Goods" shall have the same meaning as in section 119 of the Contract and Commercial Law Act 2017 and are goods supplied by the Seller to the Customer (and where the context so permits shall include any supply of Services as hereinafter defined).
1.5 "Services" shall mean all services supplied by the Seller to the Customer and includes any advice or recommendations (and where the context so permits shall include any supply of Goods as defined above).
1.6 "Price" shall mean the cost of the Goods as agreed between the Seller and the Customer subject to clause 4 of this contract.

2. Acceptance
2.1 Any instructions received by the Seller from the Customer for the supply of Goods and/or the Customer's acceptance of Goods supplied by the Seller shall constitute acceptance of the terms and conditions contained herein.
2.2 Where more than one Customer has entered into this agreement, the Customers shall be jointly and severally liable for all payments of the Price.
2.3 Upon acceptance of these terms and conditions by the Customer the terms and conditions are irrevocable and can only be rescinded in accordance with these terms and conditions or with the written consent of the manager of the Seller.
2.4 None of the Seller's agents or representatives are authorised to make any representations, statements, conditions or agreements not expressed by the manager of the Seller in writing nor is the Seller bound by any such unauthorised statements.
2.5 The parties agree that for the purposes of the Construction Contracts Act 2002 together with any amendments to the Construction Contracts Act 2022 this contract is not a commercial construction contract or a construction contract whether for a commercial or residential property or work and devise liability under this contract shall be in no way limited by any contract that the Customer may have entered into with a third party in relation to the supply of Goods and/or Services to that third party or the payment by the third party to the Customer of any monies whether by progress payments or otherwise.

3. Goods / Services
3.1 The Goods and/or Services are as described on the invoices, quotation, work authorisation or any other work commencement forms as provided by the Seller to the Customer.
3.2 Any credit limit approved by the Seller may be reviewed by the Seller from time to time at its sole discretion. The credit limit may be increased or reduced by the Seller following the review without the need to give notice to the customer for the increase or reduction.

4. Price And Payment
4.1 At the Seller's sole discretion the Price shall be either;
(a) as indicated on invoices provided by the Seller to the Customer in respect of Goods supplied; or
(b) the Seller's current Price, at the date of delivery of the Goods, according to the Seller's current Price list; or
(c) Seller's quoted Price (subject to clause 4.2) which shall be binding upon the Seller provided that the Customer shall accept in writing the Seller's quotation within thirty (30) days.
4.2 The Seller may by giving notice to the Customer (verbally or otherwise) at any time before delivery increase the Price of the Goods to reflect any variation from the plan of scheduled works or specifications beyond the reasonable control of the Seller which increase the cost of the Goods/Services by more than 10% of the quoted Price.
4.3 At the Seller's sole discretion a deposit may be required. The deposit amount or percentage of the Price will be stipulated at the time of the order of the Goods and shall become immediately due and payable.
4.4 Time for payment for the Goods shall be of the essence and will be stated on the invoice, quotation or any other order forms. If no time is stated then payment shall be on delivery of the Goods.
4.5 The Seller may withhold delivery of the Goods until the Customer has paid for them, in which event payment shall be made before the delivery date.
4.6 At the Seller's sole discretion, payment for approved Customer's shall be due on the twentieth (20th) of the month in which a statement is posted to the Customer's address or address for notices.
4.7 At the Seller's sole discretion, for certain approved Customers payment will be due seven (7) days following the date of the invoice.
4.8 Payment will be made by cash on delivery, or by cheque, or by bank cheque, or by direct credit, or by credit card, or by any other method as agreed to between the Customer and the Seller.
4.9 The Price shall be increased by the amount of any GST and other taxes and duties which may be applicable, except to the extent that such taxes are expressly included in any quotation given by the Seller.
4.10 The Seller will charge a 2.5% premium for all payments made by credit card or by contactless credit or debit card payment systems such as "Paywave".

5. Delivery Of Goods
5.1 Delivery of the Goods shall be made to the Customer's address. The Customer shall make all arrangements necessary to take delivery of the Goods whenever they are tendered for delivery.
5.2 The costs of carriage and any insurance which the Customer reasonably directs the Seller to incur, shall be reimbursed by the Customer (without any set-off or other withholding whatever) and shall be due on the date for payment of the Price. The carrier shall be deemed to be the Customer's agent.
5.3 The Seller may deliver the Goods by separate instalments (in accordance with the agreed delivery schedule). Each separate instalment shall be invoiced and paid for in accordance with the provisions in this contract of sale.
5.4 Delivery of the Goods to a third party nominated by the Customer is deemed to be delivery to the Customer for the purposes of this agreement.
5.5 The Customer shall take delivery of the Goods tendered notwithstanding that the quantity so delivered shall be either greater or less than the quantity purchased provided that;
(a) such discrepancy in quantity shall not exceed 5%, and
(b) the Price shall be adjusted pro rata to the discrepancy.
5.6 The failure of the Seller to deliver shall not entitle either party to treat this contract as repudiated.
5.7 The Seller shall not be liable for any loss or damage whatever due to failure by the Seller to deliver the Goods (or any of them) promptly or at all.

6. Risk
6.1 If the Seller retains title to the Goods nonetheless all risk for the Goods passes to the Customer on delivery.
6.2 If any of the Goods are damaged or destroyed prior to title to them passing to the Customer, the Seller is entitled, without prejudice to any of its other rights or remedies under these terms and conditions (including the right to receive payment of the balance of the Price for the Goods), to receive all insurance proceeds payable in respect of the Goods. This applies whether or not the Price has become payable under these terms and conditions. The production of these terms and conditions by the Seller is sufficient evidence of the Seller's rights to receive the insurance proceeds without the need for any person dealing with the Seller to make further enquiries.

7. Defects/Returns
7.1 The Customer shall inspect the Goods on delivery and shall within seven (7) days subject to any mandatory provisions under the Consumer Guarantees Act 1993 of delivery notify the Seller of any alleged defect, shortage in quantity, damage or failure to comply with the description or quote. The Customer shall afford the Seller an opportunity to inspect the Goods within a reasonable time following delivery if the Customer believes the Goods are defective in any way. If the Customer shall fail to comply with these provisions the Goods shall be conclusively presumed to be in accordance with the terms and conditions and free from any defect or damage.
7.2 For defective Goods, which the Seller has agreed in writing that the Customer is entitled to reject, the Seller's liability is limited to either (at the Seller's discretion) replacing the Goods or repairing the Goods provided that:
(a) the Customer has complied with the provisions of clause 7.1;
(b) the Goods are returned at the Customer's cost within fourteen (14) days of the delivery date;
(c) the Seller will not be liable for Goods which have not been stored or used in a proper manner;
(d) the Goods are returned in the condition in which they were delivered and with all packaging material, brochures and instruction material in as new condition as is reasonably possible in the circumstances.
7.3 The Seller may (in its discretion) accept the Goods for credit but this may incur a handling fee of 15% of the value of the returned Goods plus any freight or $100.00 which ever is the greater of.
7.4 Goods returned for credit must be returned within 14 days of purchase, are subject to approval, and incur a restocking fee being the greater of 15% of invoice value or $100. Custom items manufactured or cut to length are non-refundable. In the event of a claim the seller liability is restricted to the invoice price only. Title of goods supplied shall not pass to the Customer until full payment is received.

8. Warranty
8.1 For Goods not manufactured by the Seller, the warranty shall be the current warranty provided by the manufacturer of the Goods. The Seller shall not be bound by nor responsible for any term, condition, representation or warranty given by the manufacturer of the Goods.

9. Default & Consequences Of Default
9.1 Interest on overdue invoices shall accrue from the date when payment becomes due daily until the date of payment at a rate of 2.5% compounding per calendar month and shall accrue at such a rate after as well as before any judgement.
9.2 If the Customer defaults in payment of any invoice when due, the Customer shall indemnify the Seller from and against all of the Seller's costs and disbursements including on a solicitor and own client basis and in addition all of the Seller's nominees costs of collection.
9.3 Without prejudice to any other remedies the Seller may have, if at any time the Customer is in breach of any obligation (including those relating to payment), the Seller may suspend or terminate the supply of Goods to the Customer and any of its other obligations under the terms and conditions. The Seller will not be liable to the Customer for any loss or damage the Customer suffers because the Seller exercised its rights under this clause.
9.4 If any account remains unpaid at the end of the second month after supply of the Goods or Services the following shall apply: An immediate amount of the greater of $20.00 or 10.00% of the amount overdue shall be levied for administration fees which sum shall become immediately due and payable in addition to the interest payable under clause 9.1 hereof.
9.5 In the event that:
(a) any money payable to the Seller becomes overdue, or in the Seller's opinion the Customer will be unable to meet its payments as they fall due, or;
(b) the Customer becomes insolvent, convenes a meeting with its creditors or proposes or enters into an arrangement with creditors, or makes an assignment for the benefit of its creditors, or;
(c) a receiver, manager, liquidator (provisional or otherwise) or similar

person is appointed in respect of the Customer or any asset of the Customer,
then without prejudice to the Seller's other remedies at law:
(i) the Seller shall be entitled to cancel all or any part of any order of the Customer which remains unperformed in addition to and without prejudice to any other remedies; and
(ii) all amounts owing to the Seller shall, whether or not due for payment, immediately become due and payable.

10. Title
10.1 It is the intention of the Seller and agreed by the Customer that property in the Goods shall not pass until:
(a) The Customer has paid all amounts owing for the particular Goods, and
(b) The Customer has met all other obligations due by the Customer to the Seller in respect of all contracts between the Seller and the Customer, and that the Goods, or proceeds of the sale of the Goods, shall be kept separate until the Seller shall have received payment and all other obligations of the Customer are met.
10.2 Receipt by the Seller of any form of payment other than cash shall not be deemed to be payment until that form of payment has been honoured, cleared or recognised and until then the Seller's ownership of rights in respect of the Goods shall continue.
10.3 It is further agreed that:
(a) Until such time as ownership of the Goods shall pass from the Seller to the Customer the Seller may give notice in writing to the Customer to return the Goods or any of them to the Seller. Upon such notice the rights of the Customer to obtain ownership or any other interest in the Goods shall cease.
(b) If the Customer fails to return the Goods to the Seller then the Seller or the Seller's agent may enter upon and into land and premises owned, occupied or used by the Customer, or any premises as the invitee of the Customer, where the Goods are situated and take possession of the Goods, without being responsible for any damage thereby caused.

11. Personal Property Securities Act 1999
11.1 Upon assenting to these terms and conditions in writing the Customer acknowledges and agrees that:
(a) these terms and conditions constitute a security agreement for the purposes of the PPSA; and
(b) a security interest is taken in all Goods previously supplied by the Seller to the Customer (if any) and all Goods that will be supplied in the future by the Seller to the Customer during the continuance of the parties relationship.
11.2 The Customer undertakes to:
(a) sign any further documents and/or provide any further information, such information to be complete, accurate and up-to-date in all respects, which the Seller may reasonably require to register a financing statement or financing change statement on the Personal Property Securities Register;
(b) indemnify, and upon demand reimburse, the Seller for all expenses incurred in registering a financing statement or financing change statement on the Personal Property Securities Register or releasing any Goods charged thereby;
(c) not register a financing change statement or a change demand without the prior written consent of the Seller;
(d) give the Seller not less than fourteen (14) days prior written notice of any proposed change in the Customer's name and/or any other change in the Customer's details (including but not limited to, changes in the Customer's address, facsimile number, or business practice); and
(e) immediately advise the Seller of any material change in its business practices of selling the Goods which would result in a change in the nature of proceeds derived from such sales.
11.3 The Seller and the Customer agree that nothing in sections 114(1)(a), 133 and 134 of the PPSA shall apply to these Terms and Conditions.
11.4 The Customer waives its rights as a debtor under sections 116, 120(2), 121, 125, 126, 127, 129, 131 and 132 of the PPSA.
11.5 Unless otherwise agreed to in writing by the Seller, the Customer waives its right to receive a verification statement in accordance with section 148 of the PPSA.
11.6 The Customer unconditionally ratifies any actions taken by the Seller under clauses 11.1 to 11.5. under and by virtue of the power of attorney given by the Customer to the Seller.

12. Security & Charge
12.1 Despite anything to the contrary contained herein or any other rights which the Seller may have howsoever:
(a) Where the Customer and/or the Guarantor (if any) is the owner of land, realty or any other asset capable of being charged, both the Customer and/or the Guarantor agree to mortgage and/or charge all of their joint and/or several interest in the said land, realty or any other asset to the Seller or the Seller's nominee to secure all amounts and other monetary obligations payable under the terms and conditions. The Customer and/or the Guarantor acknowledge and agree that the Seller (or the Seller's nominee) shall be entitled to lodge where appropriate a caveat, which caveat shall be released once all payments and other monetary obligations payable hereunder have been met.
(b) Should the Seller elect to proceed in any manner in accordance with this clause and/or its sub-clauses, the Customer and/or Guarantor shall indemnify the Seller from and against all the Seller's costs and disbursements including legal costs on a solicitor and own client basis.
(c) To give effect to the provisions of clause [11, 12.1(a) to (b)] inclusive hereof the Customer and/or the Guarantor (if any) do hereby irrevocably nominate constitute and appoint the Seller or the Seller's nominee as the Customer's and/or Guarantor's true and lawful attorney to execute mortgages and charges (whether registerable or not) including such other terms and conditions as the Seller and/or the Seller's nominee shall think fit in his/her/its/their absolute discretion against the joint and/or several interest of the Customer and/or the Guarantor in any land, realty or asset in favour of the Seller and in the Customer's and/or Guarantor's name as may be necessary to secure the said Customer's and/or Guarantor's obligations and indebtedness to the Seller and further to do and perform all necessary and other acts including instituting any necessary legal proceedings, and further to execute all or any documents in the Seller's absolute discretion which may be necessary or advantageous to give effect to the provisions of this clause.

13. Intellectual property
13.1 Where the Seller has designed or drawn Goods for the Customer, then the copyright in those designs and drawings shall remain vested in the Seller, and shall only be used by the Customer at the Seller's discretion.
13.2 The Customer warrants that all designs or instructions to the Seller will not cause the Seller to infringe any patent, registered design or trademark in the execution of the Customer's order.

14. Cancellation
14.1 The Seller may cancel these terms and conditions or cancel delivery of Goods and Services at any time before the Goods are delivered by giving written notice. On giving such notice the Seller shall promptly repay to the Customer any sums paid in respect of the Price for those Goods. The Seller shall not be liable for any loss or damage whatsoever arising from such cancellation.
14.2 At the Seller's sole discretion the Customer may cancel delivery of Goods and/or Services. In the event that the Customer cancels delivery of Goods and/or Services the Customer shall be liable for any costs incurred by the Seller up to the time of cancellation.

15. Privacy Act 2020
15.1 The Customer and the Guarantor/s (if separate to the Customer) authorises the Seller to:
(a) collect, retain and use any information about the Customer, for the purpose of assessing the Customer's creditworthiness or marketing products and services; and
(b) to disclose information about the Customer, whether collected by the Seller from the Customer directly or obtained by the Seller from any other source, to any other credit provider or any credit reporting agency for the purposes of providing or obtaining a credit reference, debt collection or notifying a default by the Customer.
15.2 Where the Customer is a natural person the authorities under clause 15.1 are authorities or consents for the purposes of the Privacy Act 2020.
15.3 The Customer shall have the right to request the Seller for a copy of the information about the Customer retained by the Seller and the right to request the Seller to correct any incorrect information about the Customer held by the Seller.

16. Customer's Disclaimer
16.1 The Customer hereby disclaims any right to rescind, or cancel the contract or to sue for damages or to claim restitution arising out of any misrepresentation made to him by any servant or agent of the Seller and the Customer acknowledges that he buys the Goods relying solely upon his own skill and judgement.

18. Unpaid Seller's Rights To Dispose Of Goods
18.1 In the event that:
(a) the Seller retains possession or control of the Goods; and
(b) payment of the Price is due to the Seller; and
(c) the Seller has made demand in writing of the Customer for payment of the Price in terms of this contract; and
(d) the Seller has not received the Price of the Goods,
then, whether the title in the Goods has passed to the Customer or has remained with the Seller, the Seller may dispose of the Goods and may claim from the Customer the loss to the Seller on such disposal.

19. Consumer Guarantees Act 1993
19.1 This agreement is subject to the provisions of the Consumer Guarantees Act 1993 in all cases except where the Customer is contracting within the terms of a trade/business (which cases are specifically excluded).

20. General
20.1 If any provision of these terms and conditions shall be invalid, void or illegal or unenforceable the validity existence, legality and enforceability of the remaining provisions shall not be affected, prejudiced or impaired.
20.2 All Goods and Services supplied by the Seller are supplied subject to the laws of New Zealand and the Seller takes no responsibility for changes in the law that affect the Goods or Services supplied.
20.3 The Seller shall be under no liability whatsoever to the Customer for any indirect loss and/or expense (including loss of profit) suffered by the Customer arising out of a breach by the Seller of these terms and conditions.
20.4 In the event of any breach of this contract by the Seller the remedies of the Customer shall be limited to damages. Under no circumstances shall the liability of the Seller exceed the Price of the Goods.
20.5 Neither party shall be liable for any default due to any act of God, terrorism, war, strike, lock out, industrial action, flood, storm or other event beyond the reasonable control of either party.
20.6 The Customer shall not set off against the Price amounts due from the Seller.
20.7 The Seller may license or sub-contract all or any part of its rights and obligations without the Customer's consent.
20.8 The Seller reserves the right to review these terms and conditions at any time and from time to time. If, following any such review, there is to be any change in such terms and conditions, that change will take effect from the date on which the Seller notifies the Customer of such change.

©2026 All Rights Reserved. All information in this catalogue is correct at time of publishing and subject to change.

QCD Limited

www.qcd.co.nz

AKL
P. +64 9 815 7500
CHCH
P. +64 3 384 9329

PO Box 112225
Penrose
Auckland 1061

AKL
4A Bill Stevenson Drive
Drury South Crossing
Auckland 2579

CHCH
24 Disraeli Street
Addington
Christchurch 8024

qcd.co.nz